



Politecnico
di Bari

Repository Istituzionale dei Prodotti della Ricerca del Politecnico di Bari

Risk perception and knowledge in flood risk management: analytical modelling of citizens' attitudes to protective behavior in flood risk situation

This is a PhD Thesis

Original Citation:

Risk perception and knowledge in flood risk management: analytical modelling of citizens' attitudes to protective behavior in flood risk situation / Santoro, Stefania. - ELETTRONICO. - (2022). [10.60576/poliba/iris/santoro-stefania_phd2022]

Availability:

This version is available at <http://hdl.handle.net/11589/238058> since: 2022-04-20

Published version

Politecnico di Bari
[DOI: 10.60576/poliba/iris/santoro-stefania_phd2022](https://doi.org/10.60576/poliba/iris/santoro-stefania_phd2022)

Terms of use:

Altro tipo di accesso

(Article begins on next page)



D.R.R.S.

POLITECNICO DI BARI

11

Doctor of Philosophy in Environmental and Building Risk and Development

2022

Coordinator: Prof. Michele Mossa

XXXIV CYCLE
Curriculum: ICAR.20 - Urban and regional planning;
ICAR.02- Hydraulic and marine constructions and hydrology;

DICATECh

Department of Civil, Environmental, Building Engineering and Chemistry

Stefania Santoro

Risk perception and knowledge in flood risk management: analytical modelling of citizens' attitudes to protective behavior in flood risk situation

Prof. Domenico Camarda, Dicatch, Poliba

Prof. Umberto Fratino, Dicatch, Poliba

Prof. Ruggiero Lovreglio, Massey University

Ing. Raffaele Giordano, IRSA-CNR





D.R.R.S.

POLITECNICO DI BARI

11
2022

Doctor of Philosophy in Environmental and Building Risk and Development

Coordinator: Prof. Michele Mossa

XXXIV CYCLE
Curriculum: ICAR 20 - Urban and regional planning;
ICAR 02- Hydraulic and marine constructions and hydrology;

DICATECH

Department of Civil, Environmental, Building Engineering and Chemistry

Risk perception and knowledge in flood risk management: analytical modelling of citizens' attitudes to protective behavior in flood risk situation

Supervisor:
Prof. Domenico Camarda
Dicatech, Poliba
Prof. Umberto Fratino
Dicatech, Poliba

Tutor:
Prof. Ruggiero Lovreglio
Massey University
Co-Tutor:
Ing. Raffaele Giordano
Istituto di Ricerca sulla Acque, Consiglio Nazionale delle Ricerche

PhD candidate's name: Stefania Santoro



D.R.R.S.

POLITECNICO DI BARI

11
2022

Doctor of Philosophy in Environmental and Building Risk and Development

Coordinator: Prof. Michele Mossa

XXXIV CYCLE
Curriculum: ICAR 20 - Urban and regional planning;
ICAR 02- Hydraulic and marine constructions and hydrology;

DICATECh
Department of Civil, Environmental, Building
Engineering and Chemistry

**Percezione e conoscenza nella gestione del rischio
alluvione: modelli di analisi della propensione dei cittadini
al comportamento protettivo**

Supervisor:
Prof. Domenico Camarda
Dicatech, Poliba
Prof. Umberto Fratino
Dicatech, Poliba

Tutor:
Prof. Ruggiero Lovreglio
Massey University
Co-Tutor:
Ing. Raffaele Giordano
Istituto di Ricerca sulla Acque, Consiglio Nazionale delle Ricerche

Dottoranda: Stefania Santoro



Politecnico
di Bari

Department of Civil, Environmental, Land, Building Engineering and Chemistry (DICATECh)
RISK AND ENVIRONMENTAL, TERRITORIAL AND BUILDING DEVELOPMENT Ph.D. Program
SSD: ICAR 20/ICAR 02

Final Dissertation

Risk perception and knowledge in flood risk management: analytical
modelling of citizens' attitudes to protective behavior in flood risk situation

by
Stefania Santoro

Supervisors:

Prof. Domenico Camarda

Prof. Umberto Fratino

Tutor: Prof. Ruggiero Lovreglio

Co-Tutor: Ing. Raffaele Giordano

Coordinator of Ph.D. Program:

Prof. Michele Mossa

Course n°34, 01/11/2018-31/01/2022



LIBERATORIA PER L'ARCHIVIAZIONE DELLA TESI DI DOTTORATO

Al Magnifico Rettore
del Politecnico di Bari

La sottoscritta Stefania Santoro nata a Bari il 26/12/1987, residente a Bari in via Celentano 78, e-mail: stefania.santoro@poliba.it, iscritta al 3° anno di Corso di Dottorato di Ricerca in Rischio, sviluppo ambientale, territoriale ed edilizio, ciclo XXXIV, ed essendo stato ammesso a sostenere l'esame finale con la prevista discussione della tesi dal titolo:

Percezione e conoscenza nella gestione del rischio alluvione: modelli di analisi della propensione dei cittadini al comportamento protettivo

DICHIARA

- 1) di essere consapevole che, ai sensi del D.P.R. n. 445 del 28.12.2000, le dichiarazioni mendaci, la falsità negli atti e l'uso di atti falsi sono puniti ai sensi del codice penale e delle Leggi speciali in materia, e che nel caso ricorressero dette ipotesi, decade fin dall'inizio e senza necessità di nessuna formalità dai benefici conseguenti al provvedimento emanato sulla base di tali dichiarazioni;
- 2) di essere iscritto al Corso di Dottorato di ricerca Rischio, sviluppo ambientale, territoriale ed edilizio, ciclo XXXIV, corso attivato ai sensi del "Regolamento dei Corsi di Dottorato di ricerca del Politecnico di Bari", emanato con D.R. n.286 del 01.07.2013;
- 3) di essere pienamente a conoscenza delle disposizioni contenute nel predetto Regolamento in merito alla procedura di deposito, pubblicazione e autoarchiviazione della tesi di dottorato nell'Archivio Istituzionale ad accesso aperto alla letteratura scientifica;
- 4) di essere consapevole che attraverso l'autoarchiviazione delle tesi nell'Archivio Istituzionale ad accesso aperto alla letteratura scientifica del Politecnico di Bari (IRIS-POLIBA), l'Ateneo archiverà e renderà consultabile in rete (nel rispetto della Policy di Ateneo di cui al D.R. 642 del 13.11.2015) il testo completo della tesi di dottorato, fatta salva la possibilità di sottoscrizione di apposite licenze per le relative condizioni di utilizzo (di cui al sito <http://www.creativecommons.it/Licenze>), e fatte salve, altresì, le eventuali esigenze di "embargo", legate a strette considerazioni sulla tutelabilità e sfruttamento industriale/commerciale dei contenuti della tesi, da rappresentarsi mediante compilazione e sottoscrizione del modulo in calce (Richiesta di embargo);
- 5) che la tesi da depositare in IRIS-POLIBA, in formato digitale (PDF/A) sarà del tutto identica a quelle **consegnate**/inviata/da inviarsi ai componenti della commissione per l'esame finale e a qualsiasi altra copia depositata presso gli Uffici del Politecnico di Bari in forma cartacea o digitale, ovvero a quella da discutere in sede di esame finale, a quella da depositare, a cura dell'Ateneo, presso le Biblioteche Nazionali Centrali di Roma e Firenze e presso tutti gli Uffici competenti per legge al momento del deposito stesso, e che di conseguenza va esclusa qualsiasi responsabilità del Politecnico di Bari per quanto riguarda eventuali errori, imprecisioni o omissioni nei contenuti della tesi;
- 6) che il contenuto e l'organizzazione della tesi è opera originale realizzata dal sottoscritto e non compromette in alcun modo i diritti di terzi, ivi compresi quelli relativi alla sicurezza dei dati personali; che pertanto il Politecnico di Bari ed i suoi funzionari sono in ogni caso esenti da responsabilità di qualsivoglia natura: civile, amministrativa e penale e saranno dal sottoscritto tenuti indenni da qualsiasi richiesta o rivendicazione da parte di terzi;
- 7) che il contenuto della tesi non infrange in alcun modo il diritto d'Autore né gli obblighi connessi alla salvaguardia di diritti morali od economici di altri autori o di altri aventi diritto, sia per testi, immagini, foto, tabelle, o altre parti di cui la tesi è composta.

Luogo e data Bari, 24/03/2022 Firma _____

Il/La sottoscritto, con l'autoarchiviazione della propria tesi di dottorato nell'Archivio Istituzionale ad accesso aperto del Politecnico di Bari (POLIBA-IRIS), pur mantenendo su di essa tutti i diritti d'autore, morali ed economici, ai sensi della normativa vigente (Legge 633/1941 e ss.mm.ii.),

CONCEDE

- al Politecnico di Bari il permesso di trasferire l'opera su qualsiasi supporto e di convertirla in qualsiasi formato al fine di una corretta conservazione nel tempo. Il Politecnico di Bari garantisce che non verrà effettuata alcuna modifica al contenuto e alla struttura dell'opera.
- al Politecnico di Bari la possibilità di riprodurre l'opera in più di una copia per fini di sicurezza, back-up e conservazione.

Luogo e data Bari, 24/03/2022 Firma _____

EXTENDED ABSTRACT (ENG)

The effects of flooding on the urban environment are considered among the leading causes of social crisis, as they could drastically affect the socioeconomic status of a community. An increase in events can significantly inhibit the political system of land and emergency management, social security, human welfare, and the economy.

In recent decades, several studies have illustrated how the probability of a flood event occurring can be modified by human-dependent factors such as climate change and land use, among others.

For this reason, over the past decade, flood risk management policies have evolved to redirect the actions of policymakers from purely physical defensive measures toward integrated management and planning strategies. They place greater emphasis on the complexity of the interaction between social and physical processes.

The complexity of physical processes lies in the wide variety of underlying phenomena that produce different types of flooding. The complexity of social processes lies in their characterization by human-related factors such as risk perception, emotions, bonds, context, actions, and related behaviors.

Structuring the complexity of these two systems could support flood risk management because it would help to define the elements that describe the phenomenon and more precise measures through which to mitigate it.

This integrated approach to risk management is the result of a common scientific understanding of structural problems over traditional management strategies, which have neglected the multi-agent and systemic nature of risk, characterized by high complexity and uncertainty, defined in terms of individual objectives with problem-solving approaches and top-down management strategies.

Building on these premises, this study seeks to contribute to existing research based on bottom-up approaches aimed at supporting planning decision-making for flood management.

Specifically, It provides a preliminary evaluation and framework of citizens' perceptions and knowledge of flood risk, in order to assess the attitude of protective behavior and useful elements to support planning decision-making for flood management. Finally, it has been tried to identify a potential implication of the methodology on the field of urban planning.

The proposed methodology is the result of a research experiment developed through different approaches applied to two case studies: Brindisi and Bari.

It is given by the combination of an electronic survey to collect data on citizens' perceptions of flood risk, a structural equation model (SEM) to structure them, and a hybrid choice model (HCM) to link citizens' perceptions of flood risk and knowledge of measures to actions and thus define citizens' behavior under different risk scenarios.

The results of the present study show that risk perceptions are closely related to knowledge regarding the causes of the phenomenon. They significantly influence citizens' attitude to protective behavior under risk conditions, although to different degrees. In turn, risk perception depends more on previous experience while knowledge depends on factors such as residence, level of education and level of risk communication.

The methodological approach allowed useful elements to emerge to support planning decision making for flood management.

KEYWORDS: Flood Risk Management; Urban Planning; Risk Perception; Protective Behavior; Hybrid Choice Models.

EXTENDED ABSTRACT (ITA)

Gli effetti delle inondazioni sull'ambiente urbano sono considerati tra le principali cause di crisi sociale, in quanto sono in grado di influenzare drasticamente lo stato socioeconomico di una comunità. Un aumento degli eventi può inibire significativamente il sistema politico di gestione del territorio e delle emergenze, la sicurezza sociale, il benessere umano e l'economia.

Negli ultimi decenni, diversi studi hanno illustrato come la probabilità del verificarsi di un evento alluvionale possa essere modificata da fattori dipendenti dall'uomo, come, tra gli altri, il cambiamento climatico e l'uso del suolo.

Per questo motivo, nell'ultimo decennio, le politiche di gestione dei rischi di inondazione si sono evolute per reindirizzare le azioni dei responsabili politici da misure difensive puramente fisiche verso strategie di gestione e pianificazione integrate. Esse pongono maggiore enfasi sulla complessità dell'interazione tra processi sociali e fisici.

La complessità dei processi fisici risiede nell'ampia varietà di fenomeni sottostanti che producono diversi tipi di inondazioni. La complessità dei processi sociali risiede nella loro caratterizzazione, data da fattori legati all'uomo come la percezione del rischio, le emozioni, i legami, il contesto, le azioni e i relativi comportamenti.

Strutturare la complessità di questi due sistemi potrebbe supportare la gestione del rischio alluvione poichè aiuterebbe a definire gli elementi che descrivono il fenomeno e misure più puntuali attraverso cui mitigarlo.

Questo approccio integrato alla gestione del rischio è il risultato di una comprensione scientifica comune dei problemi strutturali sulle strategie di gestione tradizionali, che hanno trascurato la natura multi-agente e sistemica del rischio, caratterizzata da elevate

complessità e incertezza, definito in termini di obiettivi individuali con approcci di problem-solving e strategie di gestione top-down.

Partendo da queste premesse, il presente studio cerca di contribuire alle ricerche esistenti basate su approcci bottom-up, finalizzate a supportare il processo decisionale di pianificazione per la gestione delle inondazioni.

Nello specifico, fornisce una valutazione preliminare e una strutturazione della percezione del rischio alluvione dei cittadini e della conoscenza delle misure di protezione, al fine di valutarne la conseguente attitudine al comportamento protettivo.

Infine, sono state proposte possibili implicazioni dell'adozione della metodologia nel campo della pianificazione territorial.

La metodologia proposta è il risultato di un esperimento di ricerca maturato attraverso differenti approcci applicati a due casi di studio: Brindisi e Bari.

Essa è data dalla combinazione di un'indagine elettronica per raccogliere dati sulla percezione del rischio di inondazione da parte dei cittadini, un modello di equazione strutturale (SEM) per strutturarli, e un modello di scelta ibrido (HCM) per collegare le percezioni del rischio di inondazione dei cittadini e la conoscenza delle misure alle azioni e quindi definire il comportamento dei cittadini in diversi scenari di rischio.

I risultati del presente studio mostrano che la percezione del rischio è strettamente connessa alla conoscenza relativa alle cause del fenomeno. Esse influenzano notevolmente l'attitudine dei cittadini al comportamento protettivo in condizioni di rischio, anche se in misura diversa. A sua volta, la percezione del rischio dipende maggiormente dall'esperienza pregressa mentre la conoscenza dipende da fattori quali la residenza, il livello di istruzione e il livello di comunicazione del rischio.

L'approccio metodologico ha permesso di far emergere elementi utili per supportare il processo decisionale di pianificazione per la gestione delle inondazioni.

INDEX

| | |
|---|----|
| <i>0.0 Introduction</i> | 4 |
| <i>0.1 Objective of the study</i> | 6 |
| <i>0.2 Procedure of analysis</i> | 7 |
| <i>Chapter 1: a review of the role of urban planning and data modelling to support flood management decision-making process</i> | 10 |
| <i>Chapter 2: case studies</i> | 17 |
| <i>2.1 Brindisi</i> | 19 |
| <i>2.1.1 Geographical assessment</i> | 19 |
| <i>2.1.2 Hydrological assessment</i> | 20 |
| <i>2.1.3 Flood history</i> | 22 |
| <i>2.2 Bari</i> | 26 |
| <i>2.2.1 Geographical assessment</i> | 26 |
| <i>2.2.2 Hydrological assessment</i> | 27 |
| <i>2.2.3 Flood history</i> | 28 |
| <i>Chapter 3: assessing flood risk perception and knowledge of protective measures to support planning decision-making process for flood management. The case study of brindisi (apulia region)</i> | 36 |
| <i>3.1 Factors affecting flood risk perception and knowledge of protective measures: a theoretical framework</i> | 36 |
| <i>3.2 Methodology</i> | 40 |
| <i>3.2.1 E-survey design</i> | 43 |
| <i>3.2.2 Participants</i> | 48 |
| | 1 |

| | |
|--|-----|
| 3.3. <i>Results and discussion</i> | 50 |
| 3.3.1. <i>Risk perception</i> | 51 |
| 3.3.2 <i>Knowledge of protective measures</i> | 55 |
| 3.3.3 <i>Results summary and some suggestions to support flood management decision-making process</i> | 58 |
| 3.4 <i>Final discussion</i> | 63 |
| 3.5 <i>Conclusions</i> | 65 |
| <i>Chapter 4: from perceptions to actions. An hybrid choice model to understand citizens' protective behavior in flood risk situations. The case study of Bari (Apulia region)</i> | 68 |
| 4.1 <i>Factors affective protective behaviour: a theoretical framework</i> | 68 |
| 4.2 <i>Methodology</i> | 72 |
| 4.2.1 <i>E-survey design</i> | 74 |
| 4.2.2 <i>Participants</i> | 76 |
| 4.2.3 <i>Structural Equation Model building</i> | 83 |
| 4.2.4 <i>Hybrid Choice odel building</i> | 92 |
| 4.3 <i>Results and discussion</i> | 96 |
| 4.3.1 <i>SEM results</i> | 96 |
| 4.3.2 <i>HCM results</i> | 111 |
| 4.3.2.1 <i>Scenario results</i> | 111 |
| 4.3.2.2 <i>Latent variables influence protective behavior</i> | 114 |
| 4.3.2.3 <i>Observed variables influence protective behavior</i> | 118 |
| 4.3.3 <i>Results summary: some suggestions to support flood management decision-making process and the implication for urban planning</i> | 126 |
| 5.0 <i>General conclusion</i> | 130 |

| | |
|------------------------------|------------|
| <i>6.0 References</i> | <i>136</i> |
| <i>7.0 Acknowledgments</i> | <i>150</i> |
| <i>8.0 List of figures</i> | <i>152</i> |
| <i>9. List of tables</i> | <i>153</i> |
| <i>10.0 Curriculum vitae</i> | <i>158</i> |

0.0 INTRODUCTION

Floods are among the most frequent and destructive natural phenomena on a global scale. Flood risk is among the main causes of social crisis, as it can drastically affect the socioeconomic status of a community, and an increase in flood events can significantly inhibit the political system of land and emergency management, social security, human welfare, and the economy (Rufat et al., 2015). According to studies by the World Resources Institute, global flood victims are expected to double by 2030, from 65 million to 132 million (Kuzma e Luo, 2020).

For these reasons, the effects of flooding on the urban environment and social vulnerability are challenging issues in flood risk management and long-term urban planning (Liao 2012).

In recent decades, several studies have illustrated how the probability of occurrence of a flood event can be modified by human-dependent factors, such as, among others, climate and land-use changes (Milly et al., 2002; Allamano et al., 2009; Salas and Obeysekera, 2014).

For this reason, flood risk management policies are evolving to redirect the actions of policymakers from purely physical defensive measures toward integrated management and planning strategies, placing greater emphasis on the complexity of the interaction between social and physical processes. (Schanze, 2006).

The complexity of physical processes lies in the wide variety of underlying phenomena that produce different types of flooding known as flash, coastal, fluvial, or pluvial floods (Bates et al., 2008), while that of social processes can be reconducted to their characterization, given by human-related factors

such as risk perception, emotions, bonds, social and spatial context, and behaviors (Slovic et al., 2004; Santoro et al., 2019).

Evidence shows that these factors affect the communities' response to flooding risk and it is associated with the social context in which a specific flood occurs (Wickes et al., 2015). Indeed, according to Boholm (2003), the community's perception of risk and more generally its understanding of natural disasters is socially constructed. This assumes that citizens' response behavior is a part of a dynamic and adaptive decision-making process in which individuals and social factors interact (Slovic et al., 2004). Moreover, a wide range of sociodemographic characteristics, but also the psychological factor of risk perception and awareness, exposure, and communication techniques have been identified as factors affecting citizens' behavior (Miceli et al., 2008; Becker, 2014; Lechoskwa, 2018).

Even though these aspects are well known in the scientific field, at present their implementation in planning tools is still very limited (Bradford et al., 2012). The main reason lies precisely in the difficulty of structuring and characterizing social processes.

The characterization of the social processes could improve the effectiveness of flood risk planning strategies because it allows defining those elements that contribute to the risk reduction and preparedness of exposed communities. Correct behavioral responses to flooding events by communities can help to reduce damages up to 80% (Grothmann and Reusswig, 2006).

Understanding the social context through the way citizens perceive and respond to the flood risk is crucial to determine the social elements that could

be considered to improve flood risk management (Miceli et al., 2008; Bradford et al., 2012; Bubeck et al., 2012; Fox-Rogers et al., 2016).

0.1 OBJECTIVE OF THE STUDY

Starting from that evidence, this work seeks to contribute to existing research on bottom-up approaches used to support decision-making for flood management.

Specifically, It provides a preliminary evaluation and framework of citizens' perceptions and knowledge of flood risk, in order to assess the attitude of protective behavior and useful elements to support planning decision-making for flood management. Finally, it has been tried to identify a potential implication of the methodology on the field of urban planning.

This approach that involved the indirect participation of citizens was strongly desired in this phase (planning / pre-event) to understand the perception of those who live in areas of risk, their acknowledgment of causes and effects related to risk, and their behaviors in conditions of flood risk.

Many studies in fact, (e.g. Fielding, 2012; Scolobig et al., 2012; Mondino et al., 2020) show that the population is often not aware of its exposure to flood risk, so increasing the exposure to the risk itself through their behavior. This can be reflected in the different nature of floods in urban areas (Bates et al., 2008), so leaving an open question about their correct definition already in a planning context (Liao 2012).

In a flood management process, understanding perception and related behavior allow increasing the possibility to develop more timely and effective flood risk management strategies both during the planning phase, through

models that can be implemented within the plans, and during the emergency phase (post-event).

To this purpose, the present research has structured the perceptual sphere of individuals and outlined their behavior in different risk scenarios, through the construction of agent-based statistical models.

The methodology was the result of a growing research experiment applied to two case studies: Brindisi and Bari. The limitations found in the methodology experimented on the city of Brindisi have been overcome in the case study of Bari. More details are in the following section.

0.2 PROCEDURE OF ANALYSIS

The methodology proposed within this research work, which finds full expression in the case study of Bari (Section 4) is the result of a path developed over time. It has been applied firstly to the Brindisi case study and then revised, implemented, and applied to the Bari case study.

In this path, the research questions have grown, increased, and become increasingly complex with the consequent search for viable paths.

In the first phase of the methodology, applied to the Brindisi case study, the work has tried to answer the question:

- *what are the elements influencing citizens' flood risk perception and knowledge in urban areas?*

This question led to carrying out a literature review that allowed to build a theoretical framework. This allowed to design an online interview called E-Survey.

The data collected and processed through statistical tools permitted to understand how citizens living in areas exposed to hydrogeological risk perceive the risk of flooding and to what extent they know the protective measures to deal adaptively with a future flood event.

The results obtained have given insights into the specific case study and have allowed the development of suggestions on possible measures to be taken or implemented in the planning tools.

This work adds up to the many studies of understanding of perception for different categories of citizens and represents a methodology of structuring perception and knowledge useful to the process of flood risk management.

The methodology used in this case study, based on structured E-Survey and data analysis through statistical tests, presented several advantages, among which the ease of collecting and analyzing data for the analyst and transmitting information to the decision-maker.

On the other hand, however, it did not allow to highlight prevailing elements of perception and to correlate perception to knowledge, related to actions to be taken.

For this reason, the present research subsequently sought to answer two other research questions:

- *Is it possible to identify factors that, more than others, affect the citizens' flood risk perception?*
- *Is it possible to correlate perception to action and to define the citizens' attitude to protective behavior in flood risk situation?*

The search for an answer to these questions has found an experimental application in the case study of Bari.

For the reasons stated, the articulation of the thesis, after the presentation of the two case studies, provides a parenthesis of the work carried out on Brindisi (in the process of publication) (Section 3). This is followed by the core research applied to the case study of Bari (Section 4). Reflections and general conclusions close the work.




Figure 0.2 Methodology workflow

CHAPTER 1: A REVIEW OF THE ROLE OF URBAN PLANNING AND DATA MODELLING TO SUPPORT FLOOD MANAGEMENT DECISION-MAKING PROCESS

According to a scientific agreement, the effect of human action on the natural environment leads to increased flooding. Specifically, referring to human-caused changes in land use, such as urbanization or deforestation among others (CSC Report 12).

Land use should be regulated by urban planning. It is responsible for governing the location of activities, land use types, scales of development, and design of physical structures and thereby decreasing the impact of flooding and subsequent damages (White & Richards, 2007; Neuvel & Van Der Knaap, 2010; Ran and Nedovic-Budic 2016).

Evidence shows that integrated urban planning with flood risk management represents a valuable tool for the long-term reduction (not structural) of human vulnerability and to increase the preparedness of the population to the phenomenon and its effects.

In the CSC Report 12 are reported virtuous examples of integration such as Japan, where the strategy adopted aims at adaptation through the control and guidance of community development; the French government is slowly implementing national risk prevention plans that regulate the use of land called. The risk plan divides the area into three planning zones where there are constraints in relation to the activities to be carried out. A bit like what happens in Italy by the constraints contained in the Hydrogeological Structure Plan (PAI).

The Australian government uses a planning matrix for flood risk. The matrix approach provides an opportunity to recognize that different land uses,

densities, and forms of development have different vulnerabilities to flood risk. Land use can be planned in a variety of ways to achieve risk levels that meet the expectations of existing and future communities.

Although the potential of urban planning in the flood planning decision-making process is recognized, several practical obstacles prevent its implementation and integration into mitigation plans. The first step toward an approach to flood mitigation that integrates land use planning with flood risk management could be to involve as many stakeholders as possible to improve the quality and implementation of existing plans, thereby integrating structural and nonstructural measures (Baker Hincks, & Sheriff, 2010; Veraart et al., 2010). Structural measures are defined as all those activities related to the construction and maintenance of levees, dams, mobile elements, and design control of the physical spaces of flood-prone areas (Kryžanowski, Brilly, Rusjan, & Schnabl, 2014; Neuvel & Van Den Brink, 2009).

Non-structural measures are defined as knowledge, practices, agreements and/or policies to mitigate flood risks or information and communication technologies (ICTs).

For example, decision support systems and geographic information systems inform decision makers with reliable information, such as hazard forecasts. These systems are communication tools that engage a range of stakeholders, as well as educational tools that increase public awareness (Price & Vojinovic, 2008).

Evidence from practice suggests that a combined approach between structural and non-structural measures is the most effective way to combat flood risk because it takes advantage of the individual strengths of the two approaches (Hall, Sayers, Walkden, & Panzeri, 2006; Hayes, 2004).

In fact, the advantage of structural measures is that they aim to provide physical protection to flood-prone areas, although their weaknesses are significant economic and environmental costs (Hall et al., 2006) and occasional failures due to inadequate planning and construction (Sills, Vroman, Wahl, & Schwanz, 2008). And resisting flooding by means of levees, dams, and channelization neglects the inherent uncertainties arising from human-nature coupling. Therefore, one must aspire to a resilience rather than resistance-based approach (Liao et al. 2012), including non-structural, cost-effective, and environmentally friendly measures. Their effectiveness is sensitive to socioeconomic context and government behavior (Dawson et al., 2011).

In a desire to move away from absolute reliance on structural measures and converge toward integration, policymakers in many countries are encouraging toward public-level actions through participatory processes that include communities (Bilkhzoch 2014).

These processes should be understood as a negotiation of shared responsibility among citizens, policymakers, and stakeholders for flood protection (Baan and Klijn, 2004; Terpstra and Gutteling, 2008; Kuhlicke et al., 2011; Burns and Slovic, 2012).

It is a highly complex process that depends on the intrinsic components of individuals (perceptions, knowledge, awareness), social relations among citizens and the cultural and legislative context, the ability to communicate and exchange information and knowledge, and the tools and methods of analysis and modeling that can help to do so (Mendoza and Prabhu, 2006; Voinov, 2010).

The study of this complex relationship between floods and society sees the emergence of several interdisciplinary frameworks, such as socio-ecological systems, complex systems theories, and sociohydrology (Liu et al., 2007; Werner and McNamara, 2007; Ostrom, 2009; Sivapalan et al., 2012; Srinivasan et al., 2012; Di Baldassarre et al., 2013; Montanari et al., 2013). One of the most common methods for studying complex systems is based on statistical analysis of empirical research data such as surveys and interviews (Brown, 2007). In this context, interesting methods have been developed to combine the strengths of qualitative and quantitative data (Jick, 1979; Driscoll et al., 2007). The disadvantage of this method is related to data collection and analysis. If not properly structured, it becomes time consuming and burdensome.

Another method is agent-based modeling (e.g., Evans and Kelly, 2004). These models operate by prescribing interaction rules about individuals (identified as agents because they possess inherent characteristics). The disadvantage of these models is that they can become extremely complex and opaque (Turchin, 2003) and the results can be difficult to interpret and are often not generalizable (Janssen and Ostrom, 2006).

A third method that analyzes several assumptions about the fundamental processes and interactions that drive system complexity is formalized explicitly (in mathematical terms) using differential equations. The strength of this method is its transparency, flexibility, and ability to capture the dynamics that emerge from interacting processes. This type of modeling is useful when empirical data is limited (Brown, 2007). In addition, differential equations for dynamic modeling have been recognized as appropriate for understanding complex systems and are widely used in neoclassical economic models.

More recently, Van Emmerik et al. (2014) and Liu et al. (2015) have developed socio-hydrological models. This approach finds criticism from the social sciences on weak and robust social theories (Tainter, 2004) and little generalization of their applicability.

There are large gaps in our understanding of how human-physical systems function, and in this sense, model building is particularly valuable to explore how variables affect the functioning of human-physical system relationships and can aid in theory development (Brown, 2007).

In the present research work, two models were created. On the one hand, a Structural Equation Model (SEM) to formalize citizens' flood risk perception; on the other hand, a Discrete Choice Model (DCM) to associate citizens' flood risk perception with choice alternatives under different risk scenarios.

DCMs are used for modeling in many field of research: transportation sector, for evaluating transportation demand (see Hess 2005) or acceptability of stakeholder policies in urban freight transportation (see Le Pira et al, 2017); natural hazards, for hurricane evacuation route choices (see Cheng er al., 2008); Built Environment, for evacuation route choices (Huang et al 2008; Lovreglio et al., 2014; 2021) and in the field of applied geography, for modeling terrorist spatial decision making (Marchment et al., 2019).

In the field of flood risk management, DCMs are primarily used to understand the decision of the starting time for flood evacuation (see Lim et al., 2015), to examine homeowners' preference for different hazard mitigation options (see Frimpong et al., 2022), or to investigate individual preferences for long-term land use changes and the influence of policy choice recommendations on individual choice behavior (Ryffel et al., 2014).

Unlike DCMs, SEMs applied to flood management is less well known. Some examples can be found in the work of Renald et al., 2016 using SEM to assess the factors that influence the resilience adaptation model of the city of Jakarta, which is subject to constant flooding; Liu et al., 2017 using SEM to structure and investigate the direct and indirect factors affecting emergency evacuation capacity for rural households at risk of flooding; Hoang Ha Anh et al, 2018, who employed partial least squares structural equation modeling (PLS-SEM) to uncover the interrelationships among determinants of household vulnerability to flooding in Cambodia and the Mekong River Delta in Vietnam; Jega et al, 2018 using SEMs to examine farmers' risk perceptions, with a focus on the impact of floods on smallholder farmers' livelihoods and the extent of flood disaster management programs in Kelantan, Malaysia; Huang et al., 2020 using the SEMs to explore the quantitative relationship between socio-demographic factors, risk perceptions, and Flood protection behaviors. Wang et al., 2021 using SEMs to structure and measure the interaction between urban flood resilience and subdomain resilience (economic resilience, political resilience, human resilience, social resilience, institutional resilience, physical resilience and natural).

From a review of the literature in the field of flood management no attempts of structuring risk perception and knowledge through this approach were found.

This work therefore offers as an innovative element in the field of flood management, a preliminary assessment and framework of citizens' perceptions and knowledge about flood risk through the construction of SEM and DCM models.

The implementation of these two models will give rise to a Hybrid Choice Model (HCM) that allows to assess the attitude to protective behavior of citizens from their perception and knowledge. The outcome of the models will provide useful elements to support flood management decision making process and some implications for urban planning.

CHAPTER 2: CASE STUDIES

The choice to involve the cities of Bari and Brindisi is mainly related to three reasons:




Figure 2.1 Flooding maps for an event with a return period of 30 years (in blue) (PAI, 2019)

- (I) both municipalities are characterized, as most of the Italian territory, by phenomena of hydrogeological instability (Figure 2.1);
- (II) in 2005 Bari e Brindisi have been involved in a flooding phenomenon that has caused extensive damage to the natural and anthropized territory, to the safety and health of citizens, and the economy. These aspects will be explained in detail in the following sections;

(III) geographic proximity has resulted in greater simplicity in carrying out the analysis and study.

A large part of the Italian landscape is sculpted by the action of rivers and the movements that occur along the slopes. Changes in the landscape, and in particular the most evident ones, often occur suddenly due to rare and particularly intense events (ISPRA REPORT 356/2021).

It can happen that a natural event, such as a landslide or a flood, interacts with humans and their environment causing damage. The concept of risk is therefore a consequence of an anthropocentric vision of nature and its evolutionary processes. To understand the level of hydrogeological risk of a geographical area, it is necessary to consider organically a multiplicity of natural and anthropic factors. Heavy atmospheric precipitations are only the "triggering cause" of existing situations that were already previously unclear and precarious (Mossa 2021).

This work tries to structure the interconnections between existing human and physical factors to understand the complex issues that interfere with each other and provide useful suggestions for risk management.

Specifically, while human factors will be structured and modeled, there will be no hydraulic modeling at this stage. Existing data sourced from a variety of sources will be used, as explained in the following section.

2.1 BRINDISI

Brindisi is a coastal city located in the southeastern part of the Puglia region (Southern Italy) with a population of more than 85,000 inhabitants.



Figure 2.2 Brindisi city

2.1.1 GEOGRAPHICAL ASSESSMENT

The settlement and development of this city were favored by a large natural inlet which was the ideal location for the presence of a natural harbor since the time of the Roman Empire. As reported in the Regional Landscape Masterplan (see Regione Puglia, 2013), its urban structure has historically favored the docking of ships.

In Fig.2.3 the urban zoning of the city and mainstream network are reported. Going from North-West to South-East, it is possible to recognize a) Canale Cillarese, a stream characterized by the presence of the homonymous

embankment dam; b) Canale Patri, the stream mainly connected to the urban texture, and at the end, in the industrial area, c) Fiume Piccolo and d) Fiume Grande streams. It is possible to recognize how the central urban core is surrounded by Canale Cillarese and Canale Patri, which flow in the internal port.



Figure 2.3 Mainstream network: a) Canale Cillarese, b) Canale Patri, c) Fiume Piccolo, d) Fiume Grande

2.1.2 HYDROLOGICAL ASSESSMENT

The geological-structural structure of the Brindisi Plain determines the geometry and the characteristics of the underground water bodies, influencing both the circulation and outflow modalities to the sea, and the quantitative and qualitative characteristics of groundwater. It is possible to

distinguish a deep aquifer in the carbonate mass, cracked and char-satisfied and supported at the base by the seawater of continental invasion; then follows the roof a superficial aquifer, located in the sandy-calcarene formation of the middle-superior Pleistocene (Terraced Marine Deposits) and supported at the base by the Sub-Apennine Clay Formation.




Figure 2.4 Flooding maps for an event with a return period of 30 years (in blue) (PAI, 2019)

Superficial and deep aquifers, except for some exceptions, are hydraulically separated from each other by the sub-Apennine Claybank, which is considered practically impermeable for hydrogeological purposes. The superficial aquifer presents generally modest water potentialities so that the

flow rates from it eligible with wells are modest. The only available water resource of importance in the Brindisi Plain is therefore present in the deep aquifer, whose hydrogeological characteristics have been investigated since the 1950s (COTECCHIA et alii, 1957; ZORZI & REINA, 1957; ZORZI, 1961). The complexity of the hydraulic stream system is confirmed by Figure 2.4, where the flooding areas for an event with a return period of 30 years are reported (http://webgis.adb.puglia.it/gis/map_default.phtml).

2.1.3 FLOOD HISTORY

A preliminary analysis of the flood occurrences was conducted exploiting the AVI dataset (Guzzetti et al., 1994) and integrating floods information during the time interval between 1950-1999 by collecting data from local newspapers, recording 65 flood events news. Among others, each record contains the following information:


- the amount of daily rainfall;
- if a stream was indicated as responsible for floods (and their names);
- involved streets and/or neighborhoods (and their names);
- observed/estimated water depths.

In Table 2.1, the number of citations of flood events in newspaper articles is reported (when greater than 3), while in Figure 2.5 their position is illustrated.

Table 2.1 – Census of flooded streets reported by local newspapers

| Landmark | Street name | Neighborhood | Number of Events (1951-1999) |
|----------|-----------------------------|--------------|------------------------------|
| a | Via Torpisana | Commenda | 18 |
| b | Via Appia | Cappuccini | 10 |
| c | Via Commenda | Commenda | 10 |
| d | Via del Mare | Centro | 8 |
| e | Via Imperatore Costantino | Commenda | 7 |
| f | Via Porta Lecce | Centro | 6 |
| g | Via Bastioni San Giacomo | Centro | 5 |
| h | Via Ciciriello | Paradiso | 5 |
| i | Via Provinciale per S. Vito | Paradiso | 5 |
| l | Via Carmine | Centro | 4 |
| m | Via Liguria | Commenda | 4 |
| n | Via Nicola Brandi | Paradiso | 4 |
| o | Via Cinque Giornate | Santa Chiara | 3 |
| p | Via Provinciale Lecce | Perrino | 3 |

Figure 2.5 Maps of the census of flooded streets reported by local newspaper



The figures below show a brief photo collection of the 2005 event.



Figure 2.6 Overflow Canale Patri



Figure 2.7 Flooding in via Tor Pisana (meteoweb. EU)



Figure 2.8 Flooding in via provinciale Lecce (Il quotidiano di Puglia.it)



Figure 2.9 Flooding in Viale Commenda (Brindisi Oggi. it)

2.2 BARI

The city of Bari is an Italian municipality of 313,164 inhabitants, and the provincial capital of the Apulia region (ISTAT 2021).



Figure 2.10 Bari city

2.2.1 GEOGRAPHICAL ASSESSMENT

It is subdivided into five districts which are characterized by highly permeable soil and a hydrographic network not always defined, composed of numerous erosive grooves called 'lama' (Figure 2.11).

In the field of geology, the concept of lama is classified as a shallow erosive furrow, typical of the Apulian landscape, which carries rainwater during heavy rain. In dry conditions, it is characterized by ground and debris deposited by erosive phenomena.




Figure 2.11 District and lame

2.2.2 HYDROLOGICAL ASSESSMENT

The municipality of Bari is part of the Adriatic sector of the Murge which, being a karstic territory, has an almost absent superficial hydrography mainly due to the permeability of the Mesozoic formations; in its place, there is a wide range of characteristic karstic forms (depressions, carted fields, blind valleys, blades, etc.). The Adriatic sector of the Murgia is characterized by the existence of a deep or main aquifer and secondary aquifers. The impressive water table, circulating in the carbonate masses, is called "deep" or "main" aquifer to distinguish it from the "superficial" ones located in the post-cretaceous soils.

The deep (or main) aquifer of our karst region does not circulate free-flowing, as it was believed until today and as it happens in the Salento Peninsula and the Gargano, but under pressure and very often at considerable depths below sea level; it is found at greater and greater depths proceeding from the coastline towards the more inland areas and rests on the seawater of continental intrusion.

The underground water circulation takes place both in a diffuse and in a concentrated way, this last situation is validated by the presence of the second stratum.

Secondary aquifers are located in rocky horizons that are particularly permeable compared to the poorly permeable or impermeable rock mass that contains them. They would have originated from the discontinuous alternation of practically impermeable rocks (marly limestone, marly clays, calcareous breccias, etc.) and horizons particularly permeable for cracking and karstification.

2.2.3 FLOOD HISTORY

During heavy rainfall, this natural erosive groove allows water runoff. However, when they are altered in their conformation due to anthropic activities, they constitute a danger to the surrounding environment. This is the case for the city of Bari. Although there is historical evidence of flood events, e.g., the events of 1905, 1915, 1926, the development of the city has often occurred without respecting the conformation of the territory. Natural erosive grooves can often host cultivations of vines and olive trees and or even residential settlements (Mossa 2020).

Because of the expansion of the city, the first flood coming from the Picone lama repeatedly swept away roads and buildings in 1905. The waters poured down the southwest side of the city, causing extensive damage, especially in several streets.

After only ten years, in September 1915, two impetuous alluvial currents, one coming from Cassano Murge and the other from Noci and Putignano annihilated the town again, causing more deaths and injuries. With the last nubifragio of 1926, they took finally the measures and they put in action plans for urbanization to prevent ulterior catastrophes.

Among these, the reforestation of a large area of the high basin of the Picone, corresponding to the current forest Mercadante di Cassano and from which it was believed prove-nicer floodwaters and was made a channel deviator: the so-called Canalone. And on that occasion, the autonomous fascist Institute for the popular houses commissioned engineer Giuseppe Favia for the project for the building of the condominium for the flooded people (Figure 2.12).




Figure 2.12 Building for flooded people

Some roads bring back memories of the effects (Figure 2.13)



Figure 2.13 Plaques in remembrance of the events

The most disastrous flood event, of the last 20 years, in terms of rain intensity, damage, and loss of life, that affected the city of Bari occurred in 2005 (Mossa 2010). In October 2005, due to the magnitude of the rainfall and poor land management, there were as many as 6 fatalities and extensive damage to buildings, businesses, crop fields, and roads (Flood risk management plan, Piano di Gestione Rischio alluvion, PGRA). Table 2 shows some of the damage as a consequence of this flood. In addition to the 2005 flood, several other flood events occurred in Bari in more recent years as reported in several newspapers. These events are summarized in Table 3. From a quick visual analysis of Figure 2.14, it is easy to see that the flooded area (blue zone, PAI) is located near the nine natural incisions (green zone). Moreover, it is also possible to see that many neighborhoods (red boundaries) are affected by flooding areas.



1. Santo Spirito; 2 Catino-San Pio; 3. Palese; 4. Fesca; 5. San Girolamo; 6 Marconi; 7. San Paolo; 8. Stanic; 9. Libertà; 10. Murat; 11. Borgo antico; 12. Madonella; 13. Japigia- Sant'Anna; 14. San Giorgio-Torre a Mare; 15. Picone; 16. Poggiofranco; 17. Carrassi; 18. San Pasquale-Mungivacca; 19. Carbonara-Santa Rita; 20. Ceglie del Campo; 21. Loseto

Figure 2.14 Floodable area in blue with a return period of 30 years. Lama in green (PAI), red boundaries identified neighborhoods

Table 2.2 Damage of flood event, Bari 22/10/2005 (source: PGRA, IT_ITR161I020_La Gazzetta del Mezzogiorno)

| Neighborhood/ Street | Damages |
|--|--|
| Santa Rita | Flooding of the ex CAVA DI MASO and BRANDONISIO; Flooding of roads, public parks, and productive settlements |
| Viale G. T. Liuzzi, Santa Rita, Ceglie e Carbonara | Flooding of roads |
| Via del Monastero | Flooding of productive settlements |
| Santa Rita, Via Donadonisi | Flooding of roads |
| Loseto, Via Cisterna di Terrarossa | Flooding of agricultural land |
| Ceglie – Modugno | Flooding of roads |
| Loseto, Via Cisterna di Terrarossa | Flooding of agricultural land |
| Strada San Giorgio Martire | Flooding of roads |
| Santa Rita, strada Fondo Capillo | Flooding of roads |
| San Giorgio | Two motorists ended up in the sea, one dead. The car swept by a 3m wave of mud was dragged for 3 km towards the sea. |
| San Girolamo | The sea unfolds in a radial pattern from the delta of the Lamasinata diverter channel, dragging debris, trees, pipes, and sheet metal with it. |
| Santa Caterina | Flooding of the cultivated olive groves inside the canal riverbed |

Table 2.3 Damage of flood event in Bari after 2005 (source: online newspaper)

| Flood date | Neighborhood/ Street | Damages | Source |
|-------------------|--|---|--------------------------|
| 26/04/2014 | San Girolamo | Flooding of roads | Il Quotidiano Italiano |
| 28/07/2014 | Torre a Mare | Overflowing lama San Giorgio; Flooding of roads | Bari Today |
| 08/07/2016 | Picone | Flooding of the overpass station | Bari Today |
| 15/07/2016 | Palese | Flooding of the underpass station | Bari Today |
| 15/06/2018 | San Paolo, Libertà Old city | Flooding of part of San Paolo Hospital and part of the Palagiustizia and the Basilica of San Nicola | Repubblica |
| 16/09/2018 | Palese | Flooding of the underpass station | Bari Live |
| 10/07/2019 | Madonnella | Breaking of the Matteotti sewer on the waterfront | Bari Today |
| 07/09/2019 | Carbonara, via De Marinis | Flooding of roads | Gazzetta del Mezzogiorno |
| 03/12/2020 | zona industriale; Modugno, Carbonara; Libertà, Carrassi e San Pasquale | Flooding of roads | BariViva |

Figure 2.14 shows that the neighborhoods at greatest risk are those to the north of the city, crossed by the lama Balice. Table n.2.3 confirms recent events in the Palese and San Paolo neighborhoods; Lama Lamasinata crosses five neighborhoods including San Girolamo, Stanic, and Carbonara, affected by recent events.

The central area of the city is characterized by the presence of three natural incisions (Villa Lamberti lama, lama Picone, and lama Fitta) that cross the districts of Carbonara-Santa ta, Ceglie and Loseto.

Finally, the southern part of the city is crossed by lama San Giorgio and lama Giotta that affect the neighborhood of San Giorgio, Torre a Mare, known for the events of the flood news. The figures below show a brief photo collection of the flood event.



Figure 2.15 Lama Picone after 2005 flooding event



Figure 2.16 Railway embankment after 2005 flooding event, Acquaviva Delle Fonti city (BA)



Figure 2.17 Collapse of the building of a company of the S. Rita flyway after 2005 flooding event

CHAPTER 3: ASSESSING FLOOD RISK PERCEPTION AND KNOWLEDGE OF PROTECTIVE MEASURES TO SUPPORT PLANNING DECISION-MAKING PROCESS FOR FLOOD MANAGEMENT. THE CASE STUDY OF BRINDISI (APULIA REGION)

*This chapter is taken from the homologous article in press on Safety Science 2022;
Authors: Santoro, S., Totaro, V., Lovreglio, R., Camarda, D., Iacobellis, V., and Fratino, U.*

3.1 FACTORS AFFECTING FLOOD RISK PERCEPTION AND KNOWLEDGE OF PROTECTIVE MEASURES: A THEORETICAL FRAMEWORK

According to a common scientific understanding, risk perception consists of the interpretation of an event by citizens, and it is socially constructed (Boholm et al., 2003).

Risk perception can be defined as the process by which actual risk, composed of the combination of hazard, vulnerability, and exposure), is observed and internalized by each individual (Thistlethwaite et al., 2018).

In the last period, in the field of flood risk management, research on perception has increasingly sought to analyze influencing factors, investigating, among others, the link with human behavior and factors such as danger awareness (Sjöberg, 1998; Miceli et al., 2008), previous experiences (Weinstein et al., 1998; Lindell and Hwang, 2008; Leckowska 2018) and perceived responsibility in carrying out mitigation actions (Terpstra and Gutteling, 2009).

The perception of flood risk is also correlated with geographical characteristics, institutional and community factors, such as social dynamics, socio-economic aspects (Botzen et al., 2009), and participation and community trust in institutions (Weinstein et al., 1998; Renn and Rohrman, 2000; Sjöberg et al., 2004, Miceli et al., 2008;), as well as the sociodemographic variables of age, income, education, or homeownership

(see a review of Leckowska 2018). A deep understanding of public perception is useful because allows one to understand how people act to reduce risk (Slovic and Peters, 2006; Xia et al, 2017).

An action can either amplify or reduce the risk depending on whether an individual engages in protective behaviors or not (see a review of Andráško et al., 2021). Therefore, a study of risk perception implies a necessary knowledge of the social context, of the community, and its relationship (Renn et al., 2000).

Knowledge, as reported by Weichselgartner & Pigeon (2015) has a dynamic nature that is constructed through social interactions. The data, information, and facts that each individual is processing. Knowledge creation does not occur simply by providing new data/information, but rather when that information is elaborated in the social process. According to Davenport and Prusak (1998), knowledge is "a fluid mixture" constructed through social interaction and experience.

In this study, knowledge was investigated in two ways. The first way is a dimension of perception. It refers to citizens' knowledge of the possible effects of the event; then, as a separate but related entity to risk perception, it refers to citizens' knowledge of protective measures.

To structure the perception and knowledge measures, in the present work the theoretical frameworks are defined as follows:

(i) the theoretical framework of flood risk perception has been built according to a literature review, and among others taking inspiration from the works of Renn and Rohrman (2000), Renn (2000), and the review of Leckowska (2018). The choice to use as a bibliographic reference of Renn and Rohrman (2000) and Renn (2000) from the field of psychology, has been used to investigate the main variables that influence the perception of risk, beyond the risk examined. On the other hand, Leckowska's review focused on the perception of flood risk, helped to confirm, implement, and

expand the variables that describe flood risk perception in the works of the last decades. It considers:

- cognitive dimension. It refers to subjective judgments of probability regarding the occurrence of a future flood disaster in the studied area and its consequences.

Subjective judgments on the probability of risk and concern have been considered as separate measures of risk perception as it happens in works such as (see Peters, Slovic, Hibbard, & Tusler, 2006; Sjoberg, 1998)

- awareness dimension. It refers to citizens' awareness predictability of a flood event; risk awareness can be defined as the knowledge of the presence of risk (Slovic, 1987);

- knowledge dimension. It refers to the degree of citizens' knowledge regarding the possible effects of the event on the city; In outlining the role of knowledge in disaster risk reduction (Weichselgartner & Pigeon 2015) clearly emphasize the dynamic character of knowledge, which is constructed through social interactions that shape the data, information, and facts that each individual is processing. Knowledge creation does not occur simply by providing new data/information, but rather when that information is processed.

- risk communication dimension. Citizens are asked for their opinion about the degree of effectiveness of risk communication. The effectiveness of a risk communication strategy is capable of increasing perception and awareness as demonstrated in the work of Bodoque et al., 2019.

- the dimension of trust towards public actions, existing measures, and public participation to reduce the flood risk in the city. The level of trust in authorities and public protection measures plays a significant role in shaping perception and the relationship with preparedness (Leckowska 2018).

In the text, these concepts are synthesized with the terms: Cognitive, Awareness, Knowledge, Risk Communication, and Trust.




Figure 3.1 Theoretical framework

The dimensions of perception were divided as internal factors (intrinsic to individuals) and external factors (related to the relationships between individuals and the environment) as reported in Lovreglio et al.2020.

The dimensions of risk perception will be measured based on socio-demographic variables that characterize the user profile.

(ii) knowledge of protective measures: based on the Civil Protection Behavioural Guide. It suggests measures to be used before, during, and after the phenomenon, in open and closed spaces. The measures are published on the official website of the Civil Protection, Municipality of Brindisi.

The degree of knowledge will be measured according to socio-demographic variables that characterize the user profile.

The processing of this information allows us to better understand how citizens living in flood-prone areas may perceive flood risk and know protective measures and to demonstrate that it is possible to derive useful information elements to support the decision-making process for flood management through a bottom-up approach.

The perception analysis is characterized by high complexity because the risk is perceived differently for each citizen in a community (Renn and Rohrman, 2000). Further, factors (especially social) contributing to risk definition, are not static over time and hard to be evaluated.

3.2 METHODOLOGY

The methodology proposes the combination of an E-survey to collect data regarding citizens' flood risk perception and preparedness knowledge and Mann-Whitney and Kruskal-Wallis test to analyze collected data (3.2).

The E-survey was built and shared using Google Modules, a free online tool. Significantly different from classical participatory approaches (see the revision done by Voinov and Bousquet 2010). Such use generally precludes the direct involvement of communities in the decision-making process but allows to acquire of information that

can be modeled downstream by the analysts (Voinov and Gaddis, 2008) and used in the decision-making process for flood mitigation.

The assessment of citizens' flood risk perception and knowledge of protective measures was carried out through statistical tests. Specifically, the Mann-Whitney test (MWT) allows measuring the variation of two independent variables among different socio-demographic categories (Mann and Whitney, 1947); the Kruskal-Wallis (KWT) test allows measuring the variation of more than two independent variables among different socio-demographic categories (Ostertagova et al, 2014). In both cases, the null hypothesis of these tests states that samples are drawn from the same distribution. In this work, the choice of the MWT and its extension represented by the KWT test for more than two independent samples (Wilcoxon 1945, Mann and Whitney 1947) was made because the data meet the requirements for the adoption of the test (Birnbaum, 1956): (i) the dependent variables (flood risk perception categories) are measured at the ordinal level (Likert scale); (ii) the independent variables are composed of groups (sociodemographic variables); (iii) there are no relationships between observations in each group or between the groups themselves; (iv) the variables are not normally distributed. Concerning flood risk perception analysis, due to many observations (perception categories), the Bonferroni correction was applied which is used to adjust p-values due to the increased risk of a type I error when performing multiple statistical tests (Armstrong, 2010).




Figure 3.2 - Methodology applied

3.2.1 E-SURVEY DESIGN



Figure 3.3 E-survey logo

The E-survey was tested in two pilot sessions shared between November 2019 and May 2020. The first pilot test involved experts in the field of hydraulic and planning engineering, whereas the second one involved non-expert knowledge. The suggestions made by the participants after the first pilot test concerned the formulation of contents of some questions; some small changes were suggested from non-expert knowledge and concerned the understandability and reading of some questions (user acceptability).

Among the different data collection techniques, the E-survey has the advantage for the analyst to create a structured database and to boost the information collected through a wider audience using a web platform (Jansen et al. 2006), as compared to most typical citizen-techniques (Voinov and Bousquet, 2010). A well-structured survey can bring out not only the current state of society but can also provide indications of potential flood behavior and, therefore, be characterized by a predictive degree.

Sampling methodology belongs to the family of snowballing sampling, with the possibility of disseminating online surveys by using social media, telephone, and web site (Figure 3.4). Our choice was motivated by the exploratory nature of this work and

to difficulties in reaching the population by another type of approach, finding an adequate balance with limitations typical of such approach (e.g., biased samples).

The choice to use an online tool as E-survey is justified by two main reasons: (i) the online tool aims to facilitate the collection of information through a broader audience than the normal participation techniques provided in the literature (workshops, seminars, paper interviews, door-to-door, etc.); (ii) the online tool allows for the collection of data in a more structured way than the citizen engagement methods mentioned above (Voinov et al.2016). On the other hand, the use of this methodology might have two limitations: (i) excluding the knowledge of citizens who do not use the web platform and (ii) providing results in an aggregated form that recognizes an "average" of citizens' perception.



Figure 3.4 Homepage of the website

The survey was composed of 40 questions and took between 15 and 25 minutes to be completed. The type of questions could be classified into closed questions, including multiple-choice, checkboxes, and ranking via Likert scales and open questions aimed at finding a subjective opinion about a particular described context. The questions were

organized in four sessions to investigate: (a) citizen profile; (b) degree of citizen flood risk perception (c) degree of citizen knowledge regarding flood protective measures; (d) level of knowledge of space in case of flood evacuation.

For this study, data related to the profile of citizens and responses related to risk perception and knowledge of protective measures were used.

The questions were structured according to a Likert scale and investigated the dimensions of perception, as defined in Table 3.2. In addition, within this section, an open-ended question aimed to learn about the places in the city perceived to be most at risk by citizens.

The socio-demographic variables used to characterize the citizen profile are listed in Table .1. For this study, the first two sections relating to risk perception and knowledge of preparedness measures were analyzed (i.e., ii-iii).

Table 3.1 - Socio-demographic variable

| Socio-demographic variables | Description |
|------------------------------------|---|
| Gender | Male; female |
| Age | <18; 18-30; 31-45; 46-60; >60 |
| Family composition | Number of family members; the presence of disabled people |
| Flood Experience | Previous experience |
| Hazard proximity | Living in a flood-prone area (neighborhoods) |
| Length of residence | Habitant, commuter |

The degree of citizen risk perception has been investigated through factors that emerged according to a literature review (see Section 3.1).

Citizens answered questions for each dimension of perception (3.2). For each question, citizens were asked to express a preference on a Likert scale of 7 (1: not at all; 7: very much). It has also been introduced an open question asking which street in Brindisi was perceived by the respondent as being most at risk.

Table 3.2 - Items of the survey regarding risk perception

| Dimension of risk perception | Question (1: not at all; 7: very much). |
|-------------------------------------|---|
| Cognitive | 1 How much could your neighborhood be exposed to flooding? |
| | 2 How much flooding could be probable in your neighborhood? |
| | 3 How dangerous could be flooding in your neighborhood? |
| Awareness | 4 How much do you think a flood is predictable in Brindisi? |
| Knowledge | 5 How much do you think you are informed about the effects of a flood in Brindisi? |
| Risk communication | 6 How effective do you think is risk communication in Brindisi? |
| | 7 How much confidence do you have in the actions of public administrations in Brindisi? |

| | | |
|-------|---|---|
| Trust | 8 | How much confidence do you have in the existing mitigation measures in Brindisi? |
| | 9 | How much do you believe in public participation as an approach to improve flood management? |

Also, citizens were asked to select the recognized Flood Protection Strategies (FPS) from the set of alternatives in the Civil Protection Behavioral Guide (CPBG). The set of alternatives includes indoor and outdoor measures. The degree of citizens' knowledge regarding the FPSs provided in CPBG has been measured through a Likert scale. As before, for each measure citizens were asked to express a preference on a scale of 7 (1: not at all; 7: very much). The list of measures is shown in 3.3.

Table 3.3 - Items of the survey regarding preparedness knowledge

| | |
|---|--|
| Question: select 1 to 7 according to your preference (1: not at all; 7: very much) | |
| | Do not get to the lower floors to secure your property |
| | Do not leave home to protect your car |
| | If you are in a basement room or on the ground floor, go up to the upper floors |
| Indoor measures | Avoid the elevator |
| | Turn off the gas and turn off the electrical system |
| | Do not go drinking water from the tap |
| | Restrict cell phone use: keeping lines free makes rescue easier |
| | Keep yourself informed on how the situation evolves and follow the indications provided by the authorities |

| | |
|---------------------|--|
| | Moving away from the flooded area |
| | Reach the highest neighboring area quickly |
| | Be careful where you walk: there may be chasms, potholes, open manholes, etc. |
| Outdoor measures | Avoid using the car |
| | Avoid underpasses, embankments, and bridges |
| | Reduce cell phone use: keeping lines free makes rescue easier |
| | Keep yourself informed on how the situation evolves and follow the indications provided by the authorities |

3.2.2 PARTICIPANTS

The survey was filled out by 301 citizens. Table shows that the gender of respondents is quite homogeneous (59% male, 41% female). The most representative age of the people sample is between 30 and 60 years. 17% of participants are under 18 because the survey was also disseminated among students. Most respondents live in a four-person household where there are no people with disabilities. 68% of respondents have never had any direct experience with flooding. 42% of citizens live in flood-prone areas. The neighborhoods have been subdivided into flood-prone and non-floodable areas according to Hydrogeological Management Plan maps for an event with a return period of 30 years (PAI, 2005) (Table 3.5).

Table 3.4 - Sample characteristics

| Socio-demographic variables | Description | Percentage |
|---|--------------------------------|-------------------|
| Gender | male | 59% |
| | female | 41% |
| Age | <18 | 17% |
| | 18 - 30 | 13% |
| | 31-45 | 24% |
| | 46-60 | 25% |
| | +60 | 21% |
| Family composition: number of family members | 1 | 9% |
| | 2 | 22% |
| | 3 | 20% |
| | 4 | 42% |
| | ≥5 | 7% |
| Family composition: presence of disabled people | No | 85% |
| | Yes | 14% |
| Flood Experience | Yes | 31% |
| | No | 68% |
| Hazard proximity | Live in a flood-prone area | 42% |
| | Live in the non-floodable area | 57% |
| Length of residence | Resident | 75% |
| | Commuter | 25% |

Table 3.5 - Neighborhoods subdivided according to PAI (2005) flood-prone areas

| Neighborhood | Flood-prone area | |
|--------------|------------------|----|
| | YES | NO |
| Bozzano | X | |
| Cappuccini | | X |
| Casale | | X |
| Centro | X | |
| Commenda | X | |
| La Rosa | | X |
| Minniti | X | |
| Paradiso | X | |
| Perrino | X | |
| S. Chiara | | X |
| S. Angelo | X | |
| Sant'Elia | X | |
| Sciaia | | X |

3.3. RESULTS AND DISCUSSION

The following section is divided into three parts. The first two are related to the results and discussions on risk perception (Section 3.3.1) and preparedness measures (Section 3.3.2). In each subsection, the results are compared with others coming from the literature. The third part (Section 3.3.3) proposes a summary of the results and some suggestions to support the planning decision-making process for flood management.

3.3.1. RISK PERCEPTION

This section illustrates the results related to citizens' flood risk perception. The nine scores regarding the flood risk perception (see Table 3.2) provided by the respondents were analyzed to identify heterogeneities using the socio-demographic variables listed in Table 3.1.

The Table 3.6 shows the MWT and KWT p-values compared with a Bonferroni corrected level of significance ($\alpha=0.006$ with Bonferroni correction, i.e. $0.006 = 0.05/9$) related to flood risk perception.

While the values reported in Table 3.6 show the significance of the data referred to each question about the variables, they do not allow assessing the specific nature of each variable unambiguously. More detailed information emerges from boxplot visual analysis in Figure 3.5 which has been generated only for statistically significant variables. The visual analysis of the boxplots reveals interesting information on the distribution of populations, ensuring a direct interpretation of their differences and a distribution concerning a central value. For example, we have tried to understand the difference of perception referred to the gender variables, male and female, in question n. 3, 5, and 7, and so on for each category of sociodemographic variables. The presence of

disability in the family does not seem to influence in any way the perception of flood risk and for the sake of simplicity discussion of statistical tests output will be carried

The cognitive dimension refers to questions 1, 2, 3 (Table 3.2).

Observing the boxplots in Figure 3.5 it is possible to observe that among the results the cognitive component of those who live in areas at risk is significant.

They appear to have a higher perception than those who do not live but there is a not negligible perception even in areas where there is no source of risk.

Table 3.6 MWT and KWT p-values for risk perception analysis
(bold font is for statistically significant values, $\alpha=0.006$)

| Socio-demographic variables | Question | | | | | | | | |
|-----------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| Gender | 0.033 | 0.012 | 0.000 | 0.052 | 0.000 | 0.061 | 0.000 | 0.032 | 0.073 |
| Age | 0.021 | 0.000 | 0.012 | 0.000 | 0.000 | 0.071 | 0.012 | 0.013 | 0.042 |
| Family members | 0.072 | 0.021 | 0.042 | 0.083 | 0.000 | 0.072 | 0.102 | 0.063 | 0.061 |
| Disabled people | 0.032 | 0.053 | 0.061 | 0.051 | 0.072 | 0.053 | 0.042 | 0.013 | 0.051 |
| Flood Experience | 0.021 | 0.043 | 0.032 | 0.000 | 0.112 | 0.000 | 0.000 | 0.000 | 0.021 |
| Hazard proximity | 0.000 | 0.000 | 0.022 | 0.012 | 0.000 | 0.043 | 0.000 | 0.000 | 0.000 |
| Length of residence | 0.063 | 0.021 | 0.082 | 0.000 | 0.063 | 0.112 | 0.000 | 0.000 | 0.000 |

Further confirmation of what is stated is visible through Figure 3., where the answers of the citizen about the question “select the street in the city you perceive most at risk” is reported. For example, Tor Pisana and Cappuccini (landmark 1, 2 Figure 3.) are the most perceived landmark at risk, even if they are not in flood-prone areas. Such information could help the decision-maker to investigate the nature of the flood in these areas. A greater justification can be found via Perrino and via Appia (landmark 3, 4,

Figure 3.). The reason for these results can be found in the fact that the city of Brindisi is located in an area characterized by a groundwater aquifer with low permeability and porosity, and whose dynamics in response to short and intense rainfall cause a raising of the water table implying flooding of depressed areas and hydrogeological risk (Spizzico et al., 2006).




Figure 3.5 – Boxplots of statistically significant risk perception variables

Moreover, another interesting dimension related to the values of the medians between those who live in flooding areas and those who live outside the risk areas (boxplot e, Figure 3.5). These values differ from a minimum of 3 to 5 on the Likert scale. This type of information could allow the planner to understand whether those living in risk areas underlie the risk (Wachinger et al., 2012). This behavior is well-known in the literature because prolonged exposure tends to underestimate the effects by creating a mechanism known as “risk bias” (Apel et al., 2009).




Figure 3.6 Landmarks of perceived flooded streets

The awareness dimensions is represented by question n.4 (Table 3.2). The average awareness is rather low except for the 18-30 and >60 classes. It is significant for those who have had previous experience and does not seem to make a difference if one is a permanent or commuter.

The knowledge dimension is represented by question n.5 (Table 3.2). About age, it is possible to observe a higher median value for the category 18-30 (boxplot b, Figure 3.5). Through this result, a decision-maker could interrogate the mode of communication tools and act with more precise actions to reach all age groups. In addition, it is interesting to note that the demographic variables of gender and hazard proximity have also emerged in this case. A consideration that could be useful to the decision-maker is the fact that those who live close to stream networks can have predictive abilities that modify their perception.

The effectiveness of the communication measures has been confirmed only in the case of those who have had experience (31% of respondents). It is interesting to note

that the effectiveness is verified positively, and there is no dispersion. The results obtained from this study have been confirmed by the literature. Many studies question the role of communication in risk management. Since the beginning of the last twenty years, Renn (2008) stresses the importance of adapting risk communication to people’s specific needs. In this way, people are made easier to judge their risk situation and make informed decisions based on personal preparation and security measures. Effective communication, or its absence, can have a great influence on how people are prepared for a disaster. Also, recent studies confirm these findings (Arai 2013; Medford-Davis and Kapur, 2014; Bradley et al. 2014).

3.3.2 KNOWLEDGE OF PROTECTIVE MEASURES

This section illustrates the results related to preparedness. Table shows the MWT and KWT p-values evaluated with a Bonferroni corrected level of significance ($\alpha=0.025$ with Bonferroni correction, i.e. $0.005= 0.05/25$) related to protective measures. In Figure 3. instead, boxplots for statistically significant variables are reported.

Table 3.7 - MWT and KWT -values for preparedness knowledge analysis, (bold font is for statistically significant values, $\alpha \leq 0.025$)

| Socio demographics variables | Category of measures | |
|------------------------------------|----------------------|------------------|
| | indoor measures | outdoor measures |
| Gender | 0.025 | 0.415 |
| Age | 0.000 | 0.000 |
| n° of family members | 0.095 | 0.000 |
| presence of disabled people | 0.355 | 0.085 |
| Flood Experience | 0.455 | 0.000 |

| | | |
|---------------------|--------------|--------------|
| Hazard proximity | 0.000 | 0.255 |
| Length of residence | 0.005 | 0.020 |

As a first note, it is shown that also, in this case, the presence of disabled people in the family group is not statistically relevant. Figure 3. shows that median values for each category and both measures of knowledge are generally lower than 4, whereas maxima reach the value of 5. This demonstrates a generally low-medium level of preparedness diffused across all categories.

From Table 3.7, it is possible to note as the null hypothesis of the corrected tests is rejected for both indoor and outdoor measures, demonstrating a homogeneity in gap distribution.




Figure 3.7 - Boxplots of knowledge of protective measure variables

In the case of age category, the weak class is the youngest one, and the reason can be traced back to the lack of experience, besides not adequate information at the school level. On the other side, results of the length of residence variable for indoor can be motivated by the residential factor. People who live in Brindisi show a greater knowledge of measures, and this difference is marked for outdoor activities, probably due to an experience factor. This statement is confirmed by the positive output of the statistical tests for outdoor measures for flood experiences and indoor measures for hazard proximity. These results are not in contradiction; being plausible to assume that the greater knowledge of outdoor measures is linkable to direct experience, boosted to the different types of floods, while hazard proximity role in shaping indoor measures for the high level of risk due to river floods.

Results of this step of our survey analysis are particularly interesting because they can inspire identifying gaps in implemented flood risk management strategies and, at the same time, able to give tangible elements to institutional agents for planning future ones.

As remarked before, there is a generally low-medium knowledge of safety measures. This is a relevant issue because one of the main abilities of this approach is in drawing out societal fragilities, leading to a better characterization of the population. For example, the survey shows how sensitive categories are young people and families concerning inadequate outdoor measures knowledge. Consequently, it can be remarked that, in case of flood, they are more susceptible to higher exposure to flood effects.

3.3.3 RESULTS SUMMARY AND SOME SUGGESTIONS TO SUPPORT FLOOD MANAGEMENT DECISION-MAKING PROCESS

To understand the effectiveness of the bottom-up approach to support decision-making for flood management, the results were sorted, and contextually suggestions placed temporally, spatially and according to specific categories of citizens were proposed. The identification of variables that influence community heterogeneity can be useful for policymakers, disaster managers, and several practitioners who must coordinate and communicate with different levels of government, classes of actions, and at various times in the disaster management cycle. To this end, using the methodology applied in this paper, it is possible to classify risk reduction actions temporally, spatially, and according to specific categories of citizens (Table 3.8).

Table 3.8 - Time positioned suggested flood mitigation measures

| TIME POSITIONED | MAIN RESULTS OF RISK PERCEPTION AND KNOWLEDGE OF PROTECTIVE MEASURES | NON STRUCTURAL MEASURES | AIM OF MEASURES |
|-----------------|--|---|---|
| PRE-EVENT | The perception of flood risk is lower for women while they have a higher knowledge of indoor measures; commuters and citizens without previous flood experience have a low perception of risk and little knowledge of preparedness measures. | Promote participatory processes and forums open to citizens | <p>to decrease the gap of perception and knowledge between different categories of citizens</p> <p>to increase collaboration between public and private sectors to inform commuters (workers and students) about the flood risk areas</p> <p>to involve those who have previous flood experiences to allow the transmission of memory</p> |

People between 18-30 represent the age group with the highest perception of flood risk. People under 18 represent the age group with the least perception of risk. Preparedness is characterized by an inversely proportional relationship between family group size and knowledge.

Improve communication strategies

to evaluate the effectiveness of the alert means used so far (as well as their knowledge), measuring the degree of trust of people in institutions

to calibrate in a manner consistent with the target user (for example, school seminars to reach under 18s; social channels for > the 40s; social campaigns on local TV, in the streets for >60s) taking care to ensure its effectiveness by ensuring its reception and clarity;

People who live near streams have a higher flood risk perception of risk and knowledge of preparedness

Manage public interventions

to evaluate the presence and the effects of different types of flood on the territory, thus validating the current

measures. The flood risk perception of people who live in areas where there is no source of risk is not negligible. They have low knowledge of the preparedness measures.

works of mitigation of the risk and appropriately calibrating the communication of measures;

to improve integrated risk management: the implementation of a communication strategy that can contemplate the transmission of measures in other types of risk (e.g., seismic), describing the usefulness of individual actions and avoiding the occurrence of overlapping information;

to obtain scenarios on the behavior of the population capable of improving the predictive ability on the possible behavior of the agents during the event;

| | | | |
|--------------|---|---|---|
| DURING EVENT | Areas of the city perceived to be more at risk have emerged | Improve the management of alert techniques and risk communication | Taking targeted action of civil protection activities |
|--------------|---|---|---|

Working in the planning phase means reducing the possibility of major effects in the recovery phase (post-event). Knowing citizens' perception and knowledge of the measures allows them to better respond to the event in an effective way. It can be done for example using:

POST-EVENT

- the provision of special areas of population convergence that take into account the possible behaviors and conflicts of the population (both social and individual), providing appropriate relief and support measures;
- the efficient management of economic relief measures for those affected by the flood;
- the preventive planning of technical interventions necessary to restore the regular flow of water;

3.4 FINAL DISCUSSION

The applied methodology aims to structure the planning phase for flood risk reduction starting from the elicitation of citizens' flood risk perception and knowledge of protective measures. The results show that this methodology can become a useful tool for planning risk mitigation activities.

According to a review by Kellens et al. (2013), most studies regarding flood risk perception are characterized by an exploratory nature and there isn't a theoretical framework available in social science research. As a result, there is no methodological standardization in measuring and analyzing people's flood risk perceptions and their adaptation behavior.

In this study, the methodology based on the combination of E-survey to collect data regarding citizens' flood risk perception and of protective measures and statistical tests to analyze collected data, has been applied due to: (i) exploratory nature of investigation, (ii) difficulties in reaching and completely define the population and (iii) impossibility of disposing of adequate financial and human resources for carrying out an opportune statistical sampling.

Findings related to knowledge of measures appear to be in alignment with the literature. Many studies provide evidence that even if individuals have experience and a high perception of risk, they rarely adopt adequate knowledge and preparedness actions (Bradford et al., 2012) (Siegerist M. et al, 2006; Hall TE et al, 2009; Scolobig, A. et al, 2012). The link between perception and protective behavior appears to be very weak (Bubeck, P et al, 2012; Wachinger et al, 2012), if at all (Miceli R. et al. 2008).

In Section 3.1.1 and 3.2.2 homogeneities in investigated population categories were investigated, highlighting their main characteristics and distributions. This led to several considerations about the origin of the responses and helped us in a deeper understanding of the social and environmental framework.

A complete description of boxplots need to be supplemented by dwelling on their outliers. The importance of these points arises by considering the lowest of them as system weaknesses, potentially related to a not negative impact of flood events. These consequences cannot be only categorized as of direct type (borrowing the terminology from the field of damage assessment) but can affect other spheres of human being, as that psychological.

Psychological consequences are more complicated to be treated, are related to the personal status of each person, and can be influenced by other factors connected with their own life. Pieces of evidence of post-flood psychological diseases were documented in different studies (Krug et al., 1998; Clemens et al., 1999; Gordon et al., 2011; Alderman et al., 2012; Lowe et al., 2013). In this way, E-Survey has been useful for detecting potential situations of psychological unease, which can eventually degenerate in a post-event illness, and that can be due to a low perception of care from institutions, which should support people with immaterial assistance.

Moreover, thanks to E Survey it has been possible to collect data regarding the perception of risk communication. The results can help practitioners and policymakers in defining adequate strategies for improving communication on the correct way of behaving by combining information highlighting gaps in risk communication and knowledge of measures. As reported by Renn (2005), it is critically important to tailor risk communication to people's specific needs. This facilitates and maximizes the decision-making process of people acting on preparedness and personal safety measures.

This work relies on the use of traditional statistical testing to investigate the heterogeneity in risk perception and preparedness knowledge by testing the null hypothesis: the distributions of both populations are equal. This was achieved by investigating if and how multiple demographic variables and hazard proximity

influenced the answers for the nine items measuring the risk perception and the two items measuring the preparedness knowledge. The Bonferroni correction was adopted in this work to mitigate the risk of a type I error (i.e., the mistaken rejection of a null hypothesis) when making multiple statistical tests. This approach has the limitation of increasing the chance of having a type II error (i.e., the mistaken acceptance of the null hypothesis) (Armstrong, 2014). However, this correction should be considered when a large number of tests are carried out in this work without having a priori hypotheses (Streiner & Norman, 2011). This was the case for this study, as multiple tests were carried out without pre-planned hypotheses aimed at confirming existing theories or conceptual models. On the other hand, this approach might have increased the chance not to identify some factors explaining the heterogeneity in risk perception and preparedness knowledge (i.e., type II error) in the data used in this work. As such, further investigations are required to identify theories and conceptual models which could explain such heterogeneities in the Puglia region and to define well defined a priori hypotheses to be tested, together with a proper assessment of the statistical power of tests

3.5 CONCLUSIONS

This study aims to understand how citizens living in areas exposed to hydrogeological risk perceive floods risk and to what extent they know protection measures to adaptively address a future flooding event. This paper seeks to contribute to the field of research that addresses bottom-up approaches to support the decision-making process for flood management through a bottom-up approach. To achieve this goal, an E-survey was developed to collect variables describing citizens' flood risk perception and degree of knowledge of protective measures, and statistical tests were used in a post analyzing collected data.

Specifically, E-survey aims to collect data regarding citizens' flood risk perception and knowledge of protective measures and the Mann-Whitney and Kruskal-Wallis test to analyze collected data.

The degree of citizens' flood risk perception has been investigated through five dimensions of risk perception subdivided into Cognitive, Awareness, Knowledge, Risk Communication, and Trust.

The degree of citizens' preparedness knowledge was gathered by asking citizens to recognize flood protection strategies from the Civil Protection Behavioral Guide.

The results show that flood risk perceptions are strongly linked to variables such as trust in institutions, institutional communication, and information as well as among citizens. This is even more reflected in the categories aged less than 18 years and below. The presence of disabled people in the household does not act in any way in either perception or adaptation; previous experience, about flood perceived risk, plays a role in the awareness dimension alone while about knowledge of protective measures, it is slightly higher for those who have experienced the event. In addition, a slightly higher perception emerged for those living in risk areas, but the results of the remainder show that there is a non-negligible perception even where there is no source of risk. This is reflected in the different nature of the floods that have affected the city and should serve as input for policymakers to carry out investigations about the latent risks. The E-survey methodological approach has the advantage for the analyst to create a database to be checked and analyzed in a short time, information to be spatially localized, and data to be used for more accurate analyses. Elements that would improve the flood risk management process by planning more precise strategies focused on specific categories of citizens according to their demography and location in an urban area at risk.

On the other hand, the use of this methodology may have two limitations: (i) excluding the knowledge of citizens who do not use the web platform and (ii) providing results in an aggregated form that recognizes an "average" of citizens' knowledge and perception. While the former might be addressed by relying on a larger consideration of more traditional, in-person investigation methods, aiming at implementing a hybrid integrated approach, the latter limitation could be more effectively dealt with only by using a more disaggregated, inclusive, and refined methodology. In this concern, a reference to multi-agent models, as developed from intelligent systems science, will be investigated starting from recent literature in the field of environmental resource management and planning at large.

CHAPTER 4: FROM PERCEPTIONS TO ACTIONS. AN HYBRID CHOICE MODEL TO UNDERSTAND CITIZENS' PROTECTIVE BEHAVIOR IN FLOOD RISK SITUATIONS. THE CASE STUDY OF BARI (APULIA REGION)

4.1 FACTORS AFFECTIVE PROTECTIVE BEHAVIOUR: A THEORETICAL FRAMEWORK

From a literature review, flood risk perception can be defined in different ways (see a review of Bubeck et al., 2012). However, there is scientific agreement that there are variables that can amplify or reduce risk perception. This is highlighted by the review of Bubeck et al., 2012; the study of Wachinger et al 2013, and also confirmed in the Leckowka 2018 review and several subsequent studies (e.g., Martins et al., 2019; Rana et al. 2020; Ullah et al., 2020; Roder et al., 2020; Hudson et al., 2020; Ge et al., 2021; Peng et al., 2020, among others). For example, the factors that influence the perception of flood risk are demographic factors, social factors, social status, environmental factors, the cognitive and experiential sphere, risk communication, and the role of memory. Flood risk perception considers multiple variables, such as knowledge, experience, values, attitudes, and emotions, which change depending on the nature of flood risk, the risk context, the personality of the individual, and the social context (Wachinger et al. 2013).

As in the previous section, the theoretical framework proposed in Figure 3.1 was also taken into account in this section. It was implemented with additional recent literature (Table 4.1) from which the methodology applied for this case study is inspired.

Compared to the methodology proposed in section 3, some dimensions of perception are treated differently:

- cognitive dimension that refers to subjective judgments of probability regarding the occurrence of a future flood disaster and its consequences, have been considered as an integrated measure of risk perception as it happens in the work of Bubeck et al. 2012;
- awareness dimension, that refers to citizens' awareness predictability of a flood event has been considered directly correlated in the direct experience variable as demonstrated by the work of Mondino et al. 2020;
- the concept of knowledge has been extended not only to the citizens' knowledge regarding protection measures but also to the causes of the phenomenon. The relationship between perception of risk and knowledge of causes is fundamental according to what is reported by Botzen et al. 2009, Raaijmakers et al. 2008 and Działek et al. 2013.

Table 4.1 Indicative references that examine flood risk perception (2018-2020)

| Authors | Study area |
|---------------------------|------------------------------|
| Delin Liu et al., 2018 | Henan Province, China |
| Wang et al., 2018. | Jingdezhen City, China |
| M. Diakakis et al.2018 | Attica region, Greece |
| Roder G. et al., 2019 | Veneto region, Italy |
| Shao W., et al., 2019 | Alabama, USA |
| J.M. Bodoque et al. 2019 | Navaluenga, Spain |
| Martins et al. 2019 | S. Vicente, Cape Verde |
| Papagiannaki et al., 2019 | Greece |
| Ullah F. et al., 2020 | Khyber Pakhtunkhwa, Pakistan |
| Rana, I.A., et al. 2020 | Pakistan |
| Chinh C. Ngo et al., 2020 | Vietnam |

Considering perceptions of risk in flood management is important because evidence shows that the communities' response to flood risk is associated with them (Wickes et al., 2015). A wide range of sociodemographic characteristics, but also the psychological factor of risk perception and awareness, exposure, and communication techniques have been identified as factors affecting citizens' behavior (Miceli et al., 2008; Becker, 2014; Lechoskwa, 2018).

Literature shows many studies regarding citizens' protective behavior towards flooding (Kellens, Terpstra, and De Maeyer 2013). Grothmann and Reusswig (2006) introduced Protection Motivation Theory (PMT). PMT indicates that motivation to protect oneself from a specific threat depends on how a person balances threat assessment with coping. These two processes are referred to as Threat Appraisal and Coping Appraisal (Fig 4.1).

Rogers (1983) indicates a potential interaction between the two processes: a high threat assessment along with a high coping assessment lead to protective behavior. If a high threat assessment meets a low coping assessment, however, protective motivation remains low. In a later study, Rippetoe and Rogers (1987) introduce protective and non-protective response types. While the former reduces the physical risks of a specific threat, the latter type of response (e.g., denial, fatalism, and avoidance) reduces only the emotional consequences of the threat.

This theory has been revisited by Babcicky and Seebauer (2019). They extend the methodology with the statistical technique of Structural Equation Modeling (SEM), which allows to capture the PMT components in their full granularity and comprehensively test their predicted interrelationships.

PMT and some key components have also been applied in flood hazard research (Richert, Erdlenbruch, e Figureres 2017; Dittrich et al. 2016; Le Dang et al. 2014; Zaalberg et al. 2009; Grothmann e Reuswig 2006).

The creation of our model fits into this context of innovation by being partially inspired. In fact, based on the model SEM constructed previously, in this phase, it takes into consideration what in the PMT is defined as Threat appraisal. More details are provided in methodology section 4.2.1.




Figure 4.1 The structural model according to the PMT

4.2 METHODOLOGY

The methodology proposes the combination of an E-survey to collect data on citizens' perception of flood risk, a Structural Equation Model (SEM) to structure them, and a Hybrid Choice Model (HCM) to connect citizens' flood risk perceptions to actions and thus define citizens' behavior in different risk scenario (Figure 4.2).

The E-survey was built and shared using Google Modules, a free online tool.

The assessment of citizens' flood risk perception was carried out through the SEM building.

The SEM model applies a theoretical framework, defined after a literature review, to the case study, verifying its validity in real conditions. The results of our model are in line with the model hypothesized from the reports found in the literature.

Citizen flood risk perceptions are linked to actions through the Hybrid Choice Models (HCM). It connects the SEM model to actions defined within four risk scenarios, defined as the description of a possible risk event.




Figure 4.2 Methodology applied

4.2.1 E-SURVEY DESIGN

To collect data regarding flood risk perception, the E-Survey was structured into 33 questions subdivided into five sections: questions related to the demographic characterization starts the E-Survey (age, gender, income, etc.); the second section aims to know the risk perception of citizens in terms of knowledge of the event and measures, effects given by experience and probability of occurrence (likelihood) and its damages perceived (severity); section three aims to investigate the memory of past events; section four investigates the role of communication tools in emergencies; in section five, participants were asked to describe their behavior in a series of flood scenarios in an urban setting.

Most of the questions are closed-ended, with single, multiple, and/or Likert scale response options. Alternating with these are open-ended questions. For this study, four Likert scale questions were used to build the model (Table 4.2).

For this first part of the work, i.e. the construction of the SEM model, four questions have been used. The first question is designed to understand the degree of exposure perceived by citizens. Perceived risk exposure measures the expectation of being exposed to a flood, and the severity, i.e., the expected damage if an event occurs (Terpstra 2011, Bubeck, Botzen, and Aerts 2012). This type of information could allow the decision-maker to investigate on different spatial scales, the difference between perceived and real risk.

The second question aims to understand the degree of knowledge of defense measures in the three phases of a hazard (pre-event, during the event, and post-event). This type of information would help the decision-maker to evaluate the choices to be made in the different phases of the hazard cycle;

Question three is aimed at understanding the degree of trust in government instruments and institutions. This element would help the decision-maker understand the willingness of citizens to listen and adopt measures suggested from above.

The fourth question is aimed at understanding the degree of knowledge of the causes that generate the flood event. This information could help the decision-maker to control inappropriate actions by citizens (e.g., abusive activities).

The E- survey design was tested in two stages with two pilot studies. The first stage involved expert knowledge in the field of hydraulic engineering and design. The second one involved non-expert knowledge: citizens. The suggestions advanced after the first phase has regarded the formulation of the contents of some questions (technical acceptability); the suggestions advanced after the second phase has regarded the comprehensibility and the reading of some questions (user acceptability).

A set of four questions closes the survey. Each question in this set coincides with a risk scenario:

- scenario one describes a flood risk situation where the individual is involved by driving the car;
- scenario two describes a flood risk situation where the individual is involved on foot;
- scenario three describes a flood risk situation where the individual is asked to choose whether to save the car;
- scenario four describes a flood risk situation where the individual is asked to choose whether to save their home.

To make it easier to read the risk situation, the narrative description was accompanied by an image.

The risk scenarios are associated with two responses classified, according to PMT theory, as protective response and non-protective responses. In the model building, the former is associated with a value of 0. The latter is assigned a value of 1.

For each scenario, participants were asked to respond by their perception of risk in the situation described (Figure 4.3).

4.2.2 PARTICIPANTS

An E-survey in the city of Bari was conducted from September to December 2020. The survey was conducted using Google forms, a free tool available online. The choice to use an online tool is justified by two main reasons: (i) the online tool aims to facilitate the collection of information through a broader audience than the normal participation techniques provided in the literature (workshops, seminars, paper interviews, door-to-door, etc.); (ii) the online tool allows for the collection of data in a more structured way than the citizen engagement methods mentioned above (Voinov et al.2016).

The survey was designed for an open audience. The generality and number of respondents are not established a priori, as the questionnaire was open to all those who, upon learning of the research, voluntarily participated. Dissemination took place through two modes: (i) telephone snowballing and (i) online banners. Snowballing allowed dissemination among known people (Voinov et al.2016); banner, allowed to reach unknown people. An online link was created for both modes of dissemination. In addition, a dedicated website was created within which the purpose of the questionnaire was explained, and the research team was introduced (<https://inondazionibari.webnode.it/>) and advertised through various online channels. The sample that participated in the present study consisted of 752 citizens with the characteristics as shown in Table 4.3.

In the model, these variables will represent the observed variables.

Table 4.2 Content of E-survey

| Dimension of perception | Question | Item | n. item |
|---------------------------------|--|----------------------|----------------|
| Risk perception (Likelihood) | Indicate how exposed you are to a flood | In your district | 1 |
| | | In your city | 2 |
| | | In your neighborhood | 3 |
| Risk perception (Severity) | Indicate the degree of damage due to the flood | In your district | 4 |
| | | In your city | 5 |
| | | In your neighborhood | 6 |
| Knowledge of measures | Indicate your level of knowledge about | Mitigation measures | 7 |
| | | Protection measures | 8 |

| | | | |
|------------------------------|--|---|----|
| | | Post-event measures | 9 |
| Trust in planning strategies | Indicate, according to your perception, the extent to which the following activities contribute to reduced flood risk | Urban planning | 10 |
| | | Emergency planning | 11 |
| | | Flood awareness and adaptation Programs | 12 |
| | | Hydrogeological planning | 13 |
| Knowledge of flood causes | Indicate, according to your knowledge, the extent to which the following activities contribute to increased flood risk | The lack of hydraulic defense measures | 14 |
| | | Building growth in constrained areas | 15 |
| | | Improper sizing of the sewer system | 16 |
| | | Climate changes | 17 |
| | | Land morphology | 18 |





| | |
|--|----|
| Abusive activities | 19 |
| Waterproofing of natural areas | 20 |
| Lack of maintenance of sewerage System | 21 |
| Lack of activities' social prevention | 22 |

Table 4.3 Variables description

| Categories | Description | Percentage |
|------------------------|--------------------|-------------------|
| Gender | Male; | 57,66% |
| | Female | 42,48% |
| Age | <18 | 0,00% |
| | 19-30; | 50,07% |
| | 31-45 | 36,88% |
| | 46-60 | 11,98% |
| | 61-75 | 1,20% |
| | | |
| Education | Elementary license | 0,00% |
| | Middle school | 1,07% |
| | High school | 31,82% |
| | Bachelor's degree | 18,11% |
| | Master's degree | 34,49% |
| | PhD | 14,65% |
| Income (per year_euro) | < 7.500 | 11,85% |
| | 7.500-10.000 | 7,59% |
| | 10.000-15.000 | 16,51% |
| | 15.000-30.000 | 31,96% |
| | 30.000-50.000 | 20,11% |
| | 50.000-70.000 | 6,66% |
| | >70.000 | 5,33% |
| Household members | 1 | 5,33% |
| | 2 | 15,05% |
| | 3 | 28,36% |

| | | |
|--------------------------|------------------------|--------|
| | 4 | 45,81% |
| | 5 | 4,79% |
| | ≥6 | 0,80% |
| Presence of children | Yes | 21,97% |
| | No | 78,16% |
| Presence of elderly | Yes | 23,44% |
| | No | 76,70% |
| Presence of disable | Yes | 14,38% |
| | No | 85,89% |
| Resident | Yes | 49,67% |
| | No | 50,47% |
| Experience | Yes | 19,44% |
| | No | 80,56% |
| Homeowner | Yes | 59,25% |
| | No | 40,75% |
| Hazard proximity | Yes | 35,69% |
| | No | 64,31% |
| Home type | Apartment building | 84,69% |
| | Isolated house | 15,31% |
| Living floor | Ground floor | 38,09% |
| | Beyond the first floor | 61,78% |
| Flood risk Communication | Yes | 22,44% |
| | No | 77,70% |

Figure 4.3 Content of E -Survey regarding Flood risk scenario

| Flood Risk Scenario 1 | Description | Question | Value in the model |
|--|---|--|---|
|  | The citizen is involved by driving the car | <p>You are driving your car while an intense precipitation is hitting the city. The streets are completely flooded. Visibility and viability are compromised. What would you do?</p> | |
| | | <ul style="list-style-type: none"> - I would stay in the car and continue driving in search of a safe place - I would get out of the car and look for a safe place | <p style="text-align: center;">0</p> <p style="text-align: center;">1</p> |
| Flood Risk Scenario 2 | Description | Question | Value in the model |
|  | The citizen is involved on foot | <p>You are walking on the street as an intense precipitation is hitting the city. The streets are completely flooded. Visibility and viability are compromised. What would you do?</p> | |
| | | <ul style="list-style-type: none"> - I would stay where I am waiting for help to arrive - I would look for the first useful place to take protection | <p style="text-align: center;">0</p> <p style="text-align: center;">1</p> |
| Flood Risk Scenario 3 | Description | Question | Value in the model |
|  | The citizen is asked to choose whether to save the car | <p>An intense precipitation is hitting the city. The streets are flooded. Your car is parked on a flooded street and the water level is rising. What would you do?</p> | |
| | | <ul style="list-style-type: none"> - You would move it somewhere else - You would wait for the rainfall to end | <p style="text-align: center;">0</p> <p style="text-align: center;">1</p> |
| Flood Risk Scenario 4 | Description | Question | Value in the model |
|  | The citizen is asked to choose whether to save the properties | <p>Imagine you live on the ground floor. An intense precipitation is hitting the city. Water is coming into the house. What would you do?</p> | |
| | | <ul style="list-style-type: none"> - You would secure your possessions - Secure the entrances, shut down the systems and go upstairs | <p style="text-align: center;">0</p> <p style="text-align: center;">1</p> |

4.2.3 STRUCTURAL EQUATION MODEL BUILDING

Structural Equation Models (SEM) are multivariate regression models characterized by the fact that, in the same system of equations, each phenomenon involved in the network of causal relations covers the dual role of explanatory variable and response variable; therefore they appear very useful in the construction of a composite indicator. This approach is, by construction, deductive because the research scheme is not generated independently by an analysis of the data but is a consequence of theoretical considerations a priori, often qualitative and almost always suggested by experts in the field of application; it aims to quantify the strength of the links and possibly validate the significance.

It is a particular kind of modeling that encompasses a wide family of statistical methodologies and, specifically, can be considered the result of the fusion of two research traditions: Factor Analysis and Path Analysis.

Factor analysis consists of the analysis of a block of observable variables, highly covariant between them, for which it is assumed the existence of a common factor of which they are a manifestation, so it allows to describe the causal relationships existing between the variables. The researcher, after having ascertained the impossibility of establishing causal relationships highly covariant between them, tries to cancel what he considers to be a spurious link by introducing a common cause. The factorial approach (AF) goes back to the studies of Spearman (1904) who considered the controversial concept of human intelligence, articulating it as a "common component" present in all manifest variables, but difficult to measure. The idea of the British statistician is to combine the results obtained from specific tests on individual attitudes to arrive at a global assessment that will be assigned to the relevant latent concept or factor. In 1947, Thurstone introduced Confirmatory Factor Analysis (CFA) which proposed an analysis guided by a theoretical model based on a priori knowledge of the

problem and integrated by a probabilistic apparatus capable of assessing the congruence between the theoretical consequences of the hypothesized model and the empirical data collected. Later, in the '50s and '60s, the statistician began collaborations with Wold, Duncan, and Goldberger, respectively, from which was born the study of causality links, i.e. Path Analysis.

The Path Analysis allows to estimate the magnitude and relevance of causal links simultaneously for all variables by providing information on their underlying latent structure, as well as overcoming the problems of covariation of explanatory variables and calculating indirect effects; in other words, it defines latent concepts, called latent variables (VL), not directly observable, through the use of variables, called manifest variables (VM), which, however, are measurable (Bollen 1989, Kaplan 2000). The development of this type of technique dates back to Wright (1921) who posed the problem of measuring causal links between variables and quantifying direct, indirect impact through path coefficients. At the beginning of the 70', the measurement models and causal models were recomposed in a single theoretical scheme through the use of structural equation models.

Structural Equation Modeling consists of two sub-models:

- the measurement model capable of defining latent variables, from manifest variables; in other words, it describes the relationships between VMs and VLs;
- the structural model that describes the causal relationships between the VLs. To fully understand its complexity, it is necessary to introduce some basic concepts and, specifically, the distinction between the concept of covariation and the concept of causation.

The covariation indicates a type of relationship in which two variables have a concomitant variation; this means that, as each variable changes, the variation of the other is associated.

Causation, on the other hand, indicates a type of relationship in which one variable is the cause and another is the effect whereby a change in the cause variable produces a change in the effect variable (Blalock, 1961). In particular, it implies the recognition of two other elements namely:

the directionality of action or asymmetry from one cause variable toward another effect variable;

the direct link between two variables in which the variation in one variable is due to, and not only associated with, the variation in the other variable.

In causal models, five different types of relationships can be distinguished:

- the direct relationship where the change in one variable (cause) produces a change in the other variable (effect), as shown in Figure 4.4 a;
- the reciprocal relationship in which there is no distinction between variable cause and variable effect, in how much the two variables influence themselves reciprocally, like illustrated in figure 4.4 b;
- the spurious relation where the covariation between the two variables is caused from a third variable, said variable of control, that acts on both like it are evidenced from figure 4.4 c;
- the indirect relation that binds the two variables in a causal relation, mediated from a third variable and representative of the tie, like is evidenced from figure 4.4 d;
- the conditional relation in which the relationship between the two variables depends on the value assumed from a third variable, as described in figure 4.4 e.

Another important distinction must be made concerning the terminology used for variables. In fact, in an SEM, variables can be both dependent and independent: what is an independent variable in one equation can be dependent in another, so we distinguish between endogenous and exogenous variables. The first ones are explained from the model and they can be, in the various equations of the same one, dependent

and independent, even if they must be dependent in at least an equation; the second ones must be independent in all the equations of the model. The SEMs can be represented using a system of equations to which a causal interpretation is given; the equations are so many as many are the dependent variables in the model. Graphically, the models in the object are represented using the path diagrams, that they use the following symbology (Figure 4.5).




Figure 4.4 Type of relationship between variables




Figure 4.5 Path diagram symbology

Observing the path diagram is immediately perceptible the distinction between the two models: the measurement model (green) and the structural model (yellow), (Figure 4.6).




Figure 4.6 SEM model theory

In the structural model, the causal relationships among the latent variables are estimated. In compact notation, it takes the form represented in equation 1 in which the three vectors of endogenous (η), exogenous (ξ), and error (ζ) variables are present. Γ represents the matrix of path-coefficients between the endogenous and exogenous latent variables; B represents the matrix of path-coefficients between the endogenous latent variables. (LA Hayduk - 1987).

$$\eta = B \eta + \Gamma \xi + \zeta \text{ (Equation 1)}$$

The second base equation model takes the form represented in equation 2 in which there are the three vectors of observed endogenous variables (Y), latent endogenous variables (η), and errors (ϵ). (Λ_y) represents the coef. matrix of the measurement model for the observed endogenous variables (LA Hayduk - 1987).

$$Y = \Lambda_y \eta + \epsilon \text{ (Equation 2)}$$

The third basic equation takes the form represented in equation 3 in which there are the three vectors of observed exogenous variables (X), latent exogenous variables (ξ), and errors (δ). (Λ_x) represents the coef. matrix of the measurement model for the observed exogenous variables (LA Hayduk - 1987).

$$X = \Lambda_x \xi + \delta \text{ (Equation 3)}$$

Among the various existing structural equation models, those based on covariance were used for the present study have the purpose of obtaining estimates of the free parameters of the model while preserving the information contained in the observed

variance/covariance matrix. They can be regarded as a generalization of Confirmatory Factor Analysis dating back to Thurstone (1947). They rely on maximum likelihood (ML) to estimate the parameters of a model that involves causal links between latent variables in addition to measurement links.

SEM-ML has four distinct phases:


- the specification of the model;
- the identification of the parameters;
- the estimation of the parameters;
- the validation of the model;

The first phase responds to the desire to create a model that can structure the perception of risk, taking into account all the variables used in the literature. For this reason, a literature review was done.

Figure 4.7 summarizes the links between observed and latent variables used in the model. These relationships find support in the literature, as demonstrated in Table 4.4 (attachment).

The relationship between the latent variables is illustrated in Figure 4.8 and finds support in the literature from the work shown in Table 4.5.

Figure 4.7 Relationship between observed and latent variable






Figure 4.8 Relationship between latent variables

Table 4.5 Some indicative references regarding the relationship between latent variables

| Relationship | Indicative references |
|--------------|--|
| R1 | Siegrist & Cvetkovich, 2000; Tepstra et al. 2009; Siegrist, Gutscher, & Earle, 2005; Grothmann & Reusswig 2006 |
| R2 | Miceli et al., 2008; Kellens et al. 2013; O'Neill et al, 2016; Duzi' et al. 2014; |

Parameter estimation is done by looking at the p-value, and R^2 .

The last phase regards the modifications of the model in the sense that if it comes defined as inappropriate to represent the data, it proceeds to the modification and the phase of the validation is repeated. This last one is based on the use of tests and indices like: the chi-square, the index of goodness of fit (GFI), and the adjusted GFI (AGFI):

$$GFI = 1 - \frac{T_i}{\max T_i} \text{ (Equation 4)}$$

Where the value of the T-statistic is standardized with its maximum value. The GFI is between 0 and 1, and models with a value greater than 0.9 are considered good models:

$$AGFI = 1 - \frac{k}{df} (1 - GFI) \text{ (Equation 5)}$$

where df represents the degrees of freedom of the model and k the number of variances and covariances included in the model. Also, the AGFI is comprised between 0 and 1 and, like in the case of the GFI, they are considered good models if they introduce a greater value.

Another's parameters taken into consideration are the root mean square error of approximation (RMSE) with a value between 0 and 0,08 Chi-square (χ^2) / Degree of freedom (df) with the value of ≤ 3 .

4.2.4 HYBRID CHOICE MODEL BUILDING

To jointly account for both observed and latent variables, a Hybrid Choice Model has been proposed (BenAkiva, 1999). Hybrid models are composed of Latent Variable Models (LVMs) and Discrete Choice Models (Figure 4.9).

In this construct, as in random utility models, user choice is measured through utility (random variable). The utility is influenced beyond that from attributes directly observable (relative to the socio-demographic characteristics) also from relative psychological factors to the perception of the individuals.

The output of the Latent Variable Model is the measurement of latent attributes.

The results of the measurement of latent variables in the discrete choice model occurred through factor analysis and subsequently introduced within the utility (Prashker, 1979).


Two different equations (structural equation and measurement equation) are specified for the estimation of latent attributes. Through the structural equation (structural equation) it is possible to measure the relationship between the latent variables and the socio-demographic characteristics of the population, through the measurement equation (measurement equation) the relationship between behavior and perception is quantified.

$$RPh = bE \cdot Oh + bi \cdot Lh + \omega, \omega \sim N(0, \sigma R) \text{ (Equation 6)}$$

Equation 6 is the structural equation that links perceived risk (RPh) to observed variables (Oh) and latent factors (Lh). While RPh is a scalar quantity, Oh is a vector (1 X α) where α identifies the number of observed variables and Lh is a vector (1 X β) that identifies the β latent factors.

Consequently, bE and bi are the respective (1 X α) and (1 X β) vectors that define the weight of each observed and latent variable on risk perception. Finally, risk perception has an error component ω that is usually distributed with a mean equal to zero and a standard deviation equal to σR . Similarly occurs with the other latent variables.

Figure 4.9 Hybrid Choice Model framework



Equation 7 is the structural equation that links perceived risk and the utility (U_h) required to move from one behavioral state to another behavioral state. ρ is a scalar quantity that defines the weight of perceived risk. Finally, the utility has an error component τ that has a logistic distribution with a mean equal to zero and a standard deviation equal to 1.

$$U_h = \rho R_h + \tau, \tau \sim L(0,1) \text{ (Equation 7)}$$

Equation 8 is the measurement equation that links perceived risk to Y_h items. In this paper, these are measured using a Likert scale approach, as explained in methodology section 4.2.1. Y_h corresponds to a $(1 \times \gamma)$ vector while br is a $(1 \times \gamma)$ vector that defines the weight of perceived risk where γ is the number of indicators that measure perceived risk. Finally, there is a $(1 \times \gamma)$ vector of normally distributed error components, ε , having a mean equal to zero and a covariance matrix Ω .

$$Y_h = brR_h + \varepsilon, \varepsilon \sim N(0, \Omega) \text{ (Equation 8)}$$

4.3 RESULTS AND DISCUSSION

4.3.1 SEM RESULTS

Before proceeding to the data analysis, the data collected by the E-survey were coded according to Table 4.6.

Subsequently, data analysis of the variables that influence the perception of flood risk is conducted to identify the factorial structure of citizens' flood risk perception.

Specifically, an Exploratory Factor Analysis (EFA) was adopted to reduce the number of variables that describe the perception of risk, while maintaining a good variability explained.

To identify the factorial structure of the scale, EFA postulates were tested: the Kaiser-Meyer-Olkin (KMO) and Bartlett's test of sphericity. The KMO and Bartlett test from which a value of 0.9 emerged, considered valid to proceed with the analysis.

Exploratory factor analysis (EFA) used maximum likelihood extraction and varimax rotation methods to estimate factor loadings.

Table 4.6 Variables code

| Categories | Description | Value in analysis |
|-------------------|--------------------|--------------------------|
| Gender | Male; | 0 |
| | Female | 1 |
| Age | <18 | 1 |
| | 19-30; | 2 |
| | 31-45 | 3 |
| | 46-60 | 4 |
| | 61-75 | 5 |
| Education | Elementary license | 1 |

| | | |
|------------------------|-------------------|---|
| | Middle school | 2 |
| | High school | 3 |
| | Bachelor's degree | 4 |
| | Master's degree | 5 |
| | PhD | 6 |
| Income (per year_euro) | < 7.500 | 1 |
| | 7.500-10.000 | 2 |
| | 10.000-15.000 | 3 |
| | 15.000-30.000 | 4 |
| | 30.000-50.000 | 5 |
| | 50.000-70.000 | 6 |
| | >70.000 | 7 |
| Household members | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | ≥6 | 6 |
| Presence of children | Yes | 1 |
| | No | 0 |
| Presence of elderly | Yes | 1 |
| | No | 0 |
| Presence of disable | Yes | 1 |
| | No | 0 |
| Resident | Yes | 1 |
| | No | 0 |
| Direct experience | Yes | 1 |

| | | |
|--------------------|------------------------|---|
| | No | 0 |
| Homeowner | Yes | 1 |
| | No | 0 |
| Hazard proximity | Yes | 1 |
| | No | 0 |
| Home type | Apartment building | 1 |
| | Isolated house | 0 |
| Living floor | Ground floor | 1 |
| | Beyond the first floor | 0 |
| Risk Communication | Yes | 1 |
| | No | 0 |

Through AFE, it has been possible to identify the most suitable items to measure the different latent factors, going from the initial 22 items (Table 4.2) to 9, shown in Table 4.7.

Table 4.7 The content of the E survey

| Question theme | Question | Item | Code in the model |
|-----------------------|--|----------------------|-------------------|
| Risk Perception | Indicate how exposed you are to a flood (Likelihood) x Indicate the degree of damage due to the flood (Severity) | In your district | Item 1 |
| | | In your city | Item 2 |
| | | In your neighborhood | Item 3 |
| Knowledge of measures | Indicate your level of knowledge about the | Mitigation measures | Item 4 |
| | | Protection measures | Item 5 |

| | | | |
|---------------------------|--|--|---------|
| | | Post-event measures | Item 6 |
| Knowledge of flood causes | Indicate, according to your knowledge, the extent to which the following activities contribute to increased flood risk | The lack of hydraulic defense measures | Item 10 |
| | | Building growth in constrained areas | Item 11 |
| | | Improper sizing of the sewer system | Item 12 |


Saturations with a value less than 0.4 are considered insignificant and therefore were excluded from the modeling. The remaining values were reordered in descending order as shown in Table 4.8.

Table 4.8 Value from Factorial Analysis (% cumulative variance explained: 69, 174)

| Item | 1 | 2 | 3 |
|------|-------|-------|-------|
| 1 | 0,939 | | |
| 2 | 0,610 | | |
| 3 | 0,572 | | |
| 4 | | 0,931 | |
| 5 | | 0,718 | |
| 6 | | 0,613 | |
| 7 | | | 0,999 |
| 8 | | | 0,666 |
| 9 | | | 0,568 |

The AFE results were analyzed with AMOS 26 to run the SEM model and test hypothetical relationships between constructs. The SEM is shown in Figure 4.10.

Figure 4.10 SEM model build on SPSS



The SEM model applies a theoretical framework, defined after a literature review, to the case study. It tests its validity under real-world conditions. The results of our model are in line with the model hypothesized from the relationships found in the literature.

Several indices of fit are examined to assess the fit of the path model: Chi-square (χ^2) / Degree of freedom (df), the root mean square error of approximation (RMSEA), the goodness of fit index (GFI), and the adjusted goodness of fit index (AGFI).

The validity of the model is confirmed by reading the indices in Table 4.9.

Table 4.9 Model Fit

| |
|--------------------------|
| Sample size = 752 |
| df = 216 |
| Chi-square = 2298,121 |
| Probability level = ,000 |
| GFI= 0, 899 |
| AGFI = 0, 855 |
| RMSEA = 0,074 |

The SEM model confirms the relationships between the latent variables through acceptable R^2 values. (Table4.10)

Table4.10 Squared multiple correlations

| | |
|-----------------------|-----|
| Risk perception | 0,9 |
| Knowledge of measures | 0,5 |
| Knowledge of causes | 0,3 |




Figure 4.11 Relationship between latent variables and R^2 values

Looking at the values that emerged from the model, it is possible to see an acceptable value of R^2 except for the latent factor 'Knowledge of Causes'. It is not surprising when it comes to modeling complex phenomena where the variability is high and the background noise is given by several different elements. Moreover, as mentioned in the methodological section, latent variables are highly dependent on the study context. This means that in all likelihood this variable used is not very explanatory of the perception of flood risk in the city of Bari, but it is not certain that it cannot be so in other contexts.

The SEM model also confirms the relationships between the observed and latent variables through statistically significant p-values (highlighted in bold in Table 4.11).

Table 4.11 Statistical significance in bold (*p value $\leq 0,05$; **p value $\leq 0,1$; ***p value $\leq 0,01$)

| | | | Estimate | P |
|----|------|-----|----------|-----------------|
| KC | <--- | GND | 0,659 | 0,000 |
| KC | <--- | AGE | 0,543 | 0,000 |
| KC | <--- | EDU | 0,68 | 0,000 |
| KC | <--- | RES | 0,764 | 0,000 |
| KC | <--- | EXP | 0,604 | 0,000 |
| KC | <--- | RC | 0,755 | 0,000 |
| KC | <--- | HP | 0,074 | 0,483 |
| KC | <--- | HT | 0,344 | 0,018* |
| RP | <--- | GND | 0,057 | 0,041* |
| RP | <--- | AGE | -0,008 | 0,799 |
| RP | <--- | EDU | 0,064 | 0,027* |
| RP | <--- | INC | -0,007 | 0,437 |
| RP | <--- | HM | -0,015 | 0,067*** |
| RP | <--- | CHI | 0,069 | 0,027* |
| RP | <--- | EAL | -0,006 | 0,838 |
| RP | <--- | DIS | -0,067 | 0,086** |
| RP | <--- | RES | 0,018 | 0,509 |
| RP | <--- | EXP | 3,57 | 0,000 |
| RP | <--- | RC | 0,055 | 0,201 |
| RP | <--- | LF | 0,098 | 0,075** |
| RP | <--- | HO | -0,009 | 0,755 |
| RP | <--- | HP | 0,018 | 0,515 |
| RP | <--- | HT | 0,082 | 0,076*** |
| RP | <--- | KC | 0,023 | 0,026* |
| KM | <--- | GND | 0,28 | 0,000 |

| | | | | |
|-----|------|-----|--------|---------------|
| KM | <--- | AGE | 0,955 | 0,000 |
| KM | <--- | EDU | -0,236 | 0,008* |
| KM | <--- | INC | -0,027 | 0,309 |
| KM | <--- | HM | 0,353 | 0,000 |
| KM | <--- | RES | 0,73 | 0,000 |
| KM | <--- | EXP | -6,22 | 0,000 |
| KM | <--- | RC | 0,267 | 0,038* |
| KM | <--- | LF | 0,109 | 0,523 |
| KM | <--- | HO | 0,177 | 0,039* |
| KM | <--- | HP | 0,388 | 0,000 |
| KM | <--- | HT | 0,52 | 0,000 |
| KM | <--- | RP | 1,753 | 0,000 |
| RP1 | <--- | RP | 1 | 0,000 |
| RP2 | <--- | RP | 0,824 | 0,000 |
| RP3 | <--- | RP | 0,805 | 0,000 |
| KC1 | <--- | KC | 1 | 0,000 |
| KC2 | <--- | KC | 0,974 | 0,000 |
| KC3 | <--- | KC | 0,716 | 0,000 |
| KM1 | <--- | KM | 1 | 0,000 |
| KM2 | <--- | KM | 0,968 | 0,000 |
| KM3 | <--- | KM | 0,919 | 0,000 |

Since almost all of the variables are statistically significant, it was analyzed which of them affects each latent factor the most.

Table 4.12 shows the regression weights for predicting the unobserved variables from the observed variables. It is organized with one row for each unobserved variable and one column for each observed variable.

Table 4.12 Regression weights for predicting the unobserved variables from the observed variable

| | KC | RP | KM |
|-----|-----------|-----------|-----------|
| HT | 0,05 | 0,01 | 0,11 |
| RC | 0,11 | 0,01 | 0,06 |
| HP | 0,01 | -0,01 | 0,08 |
| EXP | -0,05 | 1,75 | -0,65 |
| RES | 0,12 | -0,03 | 0,14 |
| EDU | 0,10 | 0,04 | -0,04 |
| AGE | 0,08 | -0,05 | 0,18 |
| GND | 0,10 | 0,01 | 0,06 |
| LF | -0,01 | 0,04 | 0,04 |
| HO | 0,00 | -0,01 | 0,03 |
| DIS | 0,00 | -0,03 | -0,01 |
| EAL | 0,00 | 0,00 | 0,00 |
| CHI | 0,00 | 0,03 | 0,01 |
| HM | 0,00 | -0,02 | 0,07 |
| INC | 0,00 | 0,00 | -0,01 |
| KM3 | 0,00 | 0,01 | 0,17 |
| KM2 | 0,00 | 0,03 | 0,41 |
| KM1 | 0,00 | 0,02 | 0,26 |
| KC3 | 0,16 | 0,00 | 0,00 |
| KC2 | 0,33 | 0,00 | 0,00 |
| KC1 | 0,41 | 0,00 | 0,00 |
| RP3 | 0,01 | 0,18 | 0,07 |
| RP2 | 0,02 | 0,26 | 0,09 |
| RP1 | 0,01 | 0,15 | 0,06 |

The data are represented by the Pareto diagram (Figures 4.12, 4.13, and 4.14). As can be seen from Figure 4.12, the variable 'experience' has an impact of more than 90% on perceived risk.



Figure 4.12 The impact of the observed variables on *Risk perception*

Being a resident and communicating about risk have an impact of more than 80% on knowledge of causes (Figure 4.13). Affecting knowledge of the measures is age and residency (Figure 4.14).




Figure 4.13 The impact of the observed variables on *Knowledge of causes*




Figure 4.14 The impact of the observed variables on *Knowledge of measures*

Looking at Fig. 4.12, it is possible to see a strong preponderance of the experience variable on risk perception, compared to the other variables.

The literature review reveals that people can have very different backgrounds regarding their experience with floods, and these differences influence how they perceive risk and act to reduce it (Bubeck et al., 2012; Ho et al., 2008; Grothmann et al., 2006; De Koning et al., 2019).

Experience can be of two types: direct and indirect (Weinstein 1989; Botzen et al., 2009; Mondino et al., 2020). People with direct flood experience tend to perceive the risk/threat or its potential consequences as more severe because they use more flood information resources, or experience particular emotional responses to floods (Weinstein 1989; Siegrist et al., 2008; Burningham et al., 2008; Botzen et al., 2009; Kellens et al., 2013; Wachinger et al., 2013; Wang, Z., 2018).

In this study, participants were asked if they had any direct experience with the event. The number of sample respondents was far fewer than the total number of citizens involved, as seen in Fig. 4.15.




Figure 4.15 Degree of flood risk perception relating to *direct experience* variable

Consistent with what is reported in Table 4.3, those who have had a direct experience represent only 19.44% of the total population.

On a Likert scale from 1 to 5, those who have had direct experience with the flood perceive the phenomenon with values between 3 and 4 in the district, while the perception value on a district and city scale is equal to 3.

The results demonstrate what has been reported in the literature in reference to a low perception of those who have not lived the direct experience. In fact, their perception assumes values very close to 1 on both territorial scales.

Another important aspect that the literature emphasizes, directly related to experience and affecting the way citizens perceive risk, is the temporal distance since the last event. While recently experienced floods may cause people to rate the likelihood and

severity of a flood higher (Bamberg et al., 2017), i.e., risk perception, experiences from the more distant past seem to have rather less influence on risk perception.

The temporal variable was not included in the SEM model because from a review of the literature, the role of memory would need the insights and studies beyond the scope of engineering expertise. And in order not to induce in the error of the mere simplification of an extremely complex concept, an isolated question was asked concerning the memory of the last event, which would respond in a simple and effective way to our objective. Nothing excludes the possibility, that in the future, this component may be considered through expert contribution.

Consistent with the previously reported result regarding experience, most citizens have no memory of a flood event, 53.71%. Of those who do have memory of it, 26, 65% recall it happening within the last 5 years and 19.44%, more than 5 years ago. The latter percentage corresponds with those who have experienced it (Figure 4.16).




Figure 4.16 Memory of a flood event in the city of Bari. Percentage of respondent

From a risk management perspective, "the evanescent nature of disaster experience" (Wachinger et al., 2013) can lead to a false sense of security, decreased risk awareness, and the promotion of optimistic bias (Burningham et al., 2008). To summarize, the debate on the importance of magnitude and temporal aspect of flooding in relation to experience and relevant behavior is still ongoing (Aguilar-Barajas et al., 2019).

While on perception the main impact is given by the experience variable, on knowledge, more variables come into action.

From the observation of Fig. 4.13, it can be seen that more than 80% of the population that claims to know the causes of a phenomenon is resident, has acquired information through communication campaigns and has an educational level that exceeds a high school diploma. People with more education can have better knowledge about floods (Lave et al., 1991) clearer understanding of related terms and facts (Botzen et al., 2009), and tend to expect less government assistance and to endorse payments for property-level flood protection (Henstra et al., 2019).

Proximity with respect to the source of risk involves just under 10% of the population. Considering that most residents do not live in areas close to the risk, the result is consistent. In any case, it is not a result to be underestimated, given the different nature of floods (see Brindisi case study).

In relation to knowledge of the measures, Figure 4.14 shows that those who are older than 45, are residents, and live in an isolated home possess more knowledge.

4.3.2 HCM RESULTS

This section has been divided into three sub-sections, each containing results and suggestions to improve flood management.

Specifically, the results derived from the discrete choice model were ordered to define:

- the behavior for each flood risk scenario, to suggest elements to the decision-makers to address the planning in a more timely and effective way;
- For each risk scenario, the influence of perception and knowledge on protective behavior;
- for each risk scenario, the influence of observed variables on protective behavior.

4.3.2.1 SCENARIO RESULTS

From the results obtained from the SEM model, i.e., from the links defined between the observed variables and the latent variables as explained in Sect. 4.2.4, the actions were calculated through the HCM model.

To make the data more readable, the result obtained from the HCM was summarized in the following graph (Figure 4.17). The indicator is given by the ratio of those whose response falls into the protective behavior group to the total number of respondents. It indicates the attitude of citizens to adopt protective behaviors. The closer the value is to 1, the more the attitude falls into the protective action type. The indicator takes into consideration the totality of the aggregate population, without distinctions between categories.

As is evident from Figure 4.16, attitudes in three out of four scenarios are quite positive. In the specific, scenario 3 represents the situation in which citizens would take protective action. Scenario 1, on the other hand, presents less than encouraging results in terms of protective behavior.

These results could be understood in two ways:

- most individuals driving their cars are not likely to engage in protective behavior;
- the scenario does not take into account other variables, in addition to those considered in this study, that come into play and could influence behavior, i.e., the scenarios do not contain sufficient variables to explain behavior.

Several studies, analyze the variation in a citizen's perceived risk and their driving behavior of adverse weather conditions. Most of them develop indicators and models based on Wilde's homeostasis theory of risk (Wilde, 1982) where risk is a product of consequences and perceived probability.

In the work of Hjelkrem et al 2016, the Chosen Risk Index (CRI) is used which takes into account the time variable, speed, and vehicle weight. The results show that the perceived risk of car drivers tends to increase as weather conditions worsen. Under extremely poor visibility conditions, such as very dense fog, the measured drivers' perceived risk is high due to vehicle operation difficulties and limited visibility, different is the attitude for truck drivers.

The work of Chen et al.2019 considers other factors such as weather conditions and road type. These factors have a significant impact on driving behavior. Low-intensity fog and rain have a minor influence on drivers' perceived risk, while snow has a significant effect on perceived risk.

For the above reasons, the actual behavior may deviate from reality. It would be necessary to structure the methodology by implementing additional variables. In any case, since studies confirm an increase in perceived risk under adverse weather conditions and also an increase in accident rates (Hjelkrem et al 2016), it is still possible to suggest some insights for planning.

For example, enhanced signage on streets most at risk of flooding; digital signage in common gathering places showing measures to take in case of flooding while driving.

Several cities are equipped with digital systems, such as the islands of Greece for Tsunami warnings (Papadopoulos et al.2020) or raising awareness of the subject starting in driving school, considering that young people, least of all, perceive and know about the measures.

The outcome of behaviors in the other scenarios find foundation in Prospect Theory (D. Kahneman & A. Tversky (1979).

Prospect Theory, proposed by the authors, describes decision-making processes composed of two stages (1) assembly, i.e., information gathering and analysis of different perspectives, and (2) evaluation of different possible scenarios and choice of the one that represents the subject the alternative with the greatest value.

Subjective choices are therefore derived from operations of simplification, cancellation, and consideration of the influence of context: the same person may make different choices when faced with the same problem precisely because of the presence of a process at the base that is unscientific and difficult to repeat.

Specifically, this theory is based on two assumptions:

(i) Context effect: the context in which the individual makes the choice, has a determining effect on the choice itself. In particular, how the problem is formulated affects how the individual perceives the starting point, against which to evaluate the possible outcomes of their actions.

(ii) Loss aversion: for most individuals, the motivation to avoid a loss is greater than the motivation to make it again. This general psychological principle, which is probably linked to a sort of survival instinct, means that the same decision can give rise to opposite choices if the outcomes are represented to the subject as losses rather than as lost earnings.

This mechanism seems to be more pronounced in scenario 3, where physical safety seems to play a greater role than the loss of a car.

In scenarios 2 and 4, this difference is less pronounced. The result is rather predictable. While in scenarios 1 and 3 the choice is made by the individual, the circumstances in scenarios 2 and 4 could change due to interaction with other individuals, thus triggering what is called the "herd effect".




Figure 4.17 Citizens' attitudes toward protective behavior

4.3.2.2 LATENT VARIABLES INFLUENCE PROTECTIVE BEHAVIOR

Looking at scenarios 1 and 3, scenarios in which there is less protective behavior and protective behavior, respectively, the results reported in Table 4.13 show that latent variables do not affect behavior. These results are consistent with what was highlighted in the previous section, i.e., on the one hand, they do not present explanatory variables for each individual's behavior, and on the other hand, individuals' behavior could be imputed to the context effect. In scenario two, in which individuals are involved in a risky situation on foot, knowledge of the causes of the phenomenon and the measures

seem to drive protective behavior (Figure 4.18). In scenario four, knowledge of measures seems critical to adopt protective behavior at home as well as risk perception (Figure 4.21).

Table 4.13 Statistically significance of latent variable

| Latent variable | B | p value |
|------------------------|----------|----------------|
| SCENARIO 1 | | |
| Knowledge of causes | -0,067 | 0,47 |
| Risk Perception | 0,245 | 0,481 |
| Knowledge of measures | 0,045 | 0,656 |
| SCENARIO 2 | | |
| Knowledge of causes | 0,329 | 0,002 |
| Risk Perception | 0,245 | 0,601 |
| Knowledge of measures | 0,284 | 0,015 |
| SCENARIO 3 | | |
| Knowledge of causes | -0,042 | 0,763 |
| Risk Perception | -0,396 | 0,488 |
| Knowledge of measures | 0,148 | 0,317 |
| SCENARIO 4 | | |
| Knowledge of causes | -0,201 | 0,074 |
| Risk Perception | 1,329 | 0,001 |
| Knowledge of measures | 0,363 | 0,002 |




Figure 4.18 Statistically significance of latent variable_
Flood risk Scenario 1




Figure 4.19 Statistically significance of latent variable_
Flood risk Scenario 2




Figure 4.20 Statistically significance of latent variable_
Flood risk Scenario 3




Figure 4.21 Statistically significance of latent variable_
Flood risk Scenario 4

4.3.2.3 OBSERVED VARIABLES INFLUENCE PROTECTIVE BEHAVIOR

Like the previous section, in this section, the analysis was done taking into account the influence of the observed variables on protective behavior. Tables 4.13 to 4.16 show the values of statistical significance.

About scenario 1, the statistically significant variables are N.members in the household (HM), Elderly (EAL), and Disabled (DIS). Looking at the B values, about the HM variable, it emerges that those who live in a family with less than 4 persons are less likely to have protective behavior. This result could be linked to a lack of communication within the family nucleus (Lackova et al.,2020).

About scenario 2, the statistically significant variables are Education (EDU), Presence of Elders (EAL), Risk Communication (RC), and Income (INC). Looking at the B values, attention should be paid to those who have an education lower than a diploma, those who have a low income, and those who have never been involved in a risk communication campaign. These results can be attributed to a lack of knowledge about the effects of the phenomenon, as confirmed in the literature by ref Kellens et al. 2013.

About scenario 3, the statistically significant variables are gender (GND), income (INC), disability (DIS), hazard proximity (HP), and home type (HT). Looking at the values of B, attention should be paid to those who live in isolated homes. They are less likely to have protective behavior. This behavior can be traced back to the sense of familiarity with the place where one lives (Botzen et al.2020).

About scenario 4, the statistically significant variables are gender (GND), age (AGE), elderly (EAL), experience (EXP), the homeowner (HO), hazard proximity (HP), home type (HT). Looking at the B values, the focus is on the men and youth category. Not surprisingly, men and youth tend to behave in a non-protective manner in this scenario.

Compared to women, these two categories tend to experience the homeless and therefore perceive risk differently and behave less conservatively.

As noted in the previous sections, the scenario analysis should be further explored because it does not consider other variables that could influence perceived behavior. These results give some general indications to the decision-maker to support flood management, but they do not provide an exhaustive answer to actual behavior in risky circumstances.

After all, this work leverages the importance of adopting a bottom-up methodology but has several limitations. Among the others highlighted, the case study is not insignificant. From the application of the methodology on Bari, it can be inferred that in general the level of perception is on average low and is mainly linked to those who have had previous experience. But looking at the data, those who have had previous experience are far fewer in number than those who have not. This is no small point. The replicability of the model would allow it to be dropped on a different case study and obtain decidedly more significant results.

Attention should also be paid to another issue closely related to experience, which is that of memory. Only those who have had the experience can perceive the risk and its effects.

This element could provide decision-makers with the importance of communication and dissemination to increase the level of shared knowledge.

Table 4.14 Statistically significance Flood risk Scenario 1

| Variables | B | Sign. |
|------------------|--------------|--------------|
| GND | -,200 | ,229 |
| AGE | ,028 | ,819 |
| EDU | -,084 | ,350 |
| INC | ,059 | ,305 |
| HM | -,108 | ,094 |
| CHI | -,002 | ,994 |
| EAL | ,308 | ,103 |
| DIS | ,760 | ,001 |
| RES | ,046 | ,785 |
| EXP | -,679 | ,589 |
| HO | -,466 | ,521 |
| HP | -,106 | ,530 |
| HT | -,102 | ,714 |
| LF | -,245 | ,454 |
| RC | -,195 | ,447 |

Table 4.15 Statistically significance Flood risk Scenario 2

| Variables | B | Sign. |
|------------------|--------------|--------------|
| GND | -,100 | ,612 |
| AGE | ,130 | ,381 |
| EDU | -,259 | ,016 |
| INC | -,110 | ,093 |
| HM | ,120 | ,124 |
| CHI | -,263 | ,270 |
| EAL | ,498 | ,036 |
| DIS | -,078 | ,781 |
| RES | -,318 | ,119 |
| EXP | -,292 | ,859 |
| HO | -,007 | ,972 |
| HP | -,206 | ,294 |
| HT | -,439 | ,167 |
| LF | ,044 | ,903 |
| RC | -,753 | ,008 |

Table 4.16 Statistically significance Flood risk Scenario 3

| Variables | B | Sign. |
|------------------|--------------|--------------|
| GND | ,807 | ,002 |
| AGE | -,224 | ,211 |
| EDU | -,164 | ,198 |
| INC | ,245 | ,015 |
| HM | ,164 | ,076 |
| CHI | -,315 | ,312 |
| EAL | ,201 | ,467 |
| DIS | 1,015 | ,028 |
| RES | ,396 | ,116 |
| EXP | 2,265 | ,280 |
| HO | ,062 | ,807 |
| HP | ,829 | ,002 |
| HT | -,949 | ,006 |
| LF | -,289 | ,459 |
| RC | -,550 | ,117 |

Table 4.17 Statistically significance Flood risk Scenario 4

| Variables | B | Sign. |
|------------------|--------------|--------------|
| GND | -,499 | ,009 |
| AGE | -,434 | ,002 |
| EDU | -,004 | ,973 |
| INC | -,105 | ,125 |
| HM | ,057 | ,445 |
| CHI | -,081 | ,731 |
| EAL | ,551 | ,021 |
| DIS | ,329 | ,285 |
| RES | -,172 | ,389 |
| EXP | 5,095 | ,001 |
| HO | ,589 | ,003 |
| HP | ,366 | ,067 |
| HT | -,608 | ,049 |
| LF | -,477 | ,172 |
| RC | ,052 | ,864 |
| KM | ,363 | ,002 |

4.3.3 Results summary: some suggestions to support flood management decision-making process and the implication for urban planning

From the results of the HCM have been found some suggestions to support the flood management decision-making process and the implication for urban planning, summarized in Table 4.18.

Table 4.18 Some suggestions to support flood management decision-making process and the implication for urban planning

| Model | Factor | Relevant results | Citizens' categories to be involved | Suggestion to support flood management | Implication for urban planning |
|--------------|--------------------|---|--|---|---|
| SEM | 1. Risk perception | 1.1 People with direct experience perceive more flood risk | 1.1.1 Citizens under 45 years of age | Through a participatory process, elaborate a shared vision reflecting the concerns of the emerging category of citizens in order to provide ideas for collective mitigation actions | Non structural measures: Building horizontal links with different categories of citizens and vertical links between local and national government |
| | | 1.2 People with direct experience remember the largest event occurring more than five years ago | | | |

| | | | | | |
|------------------------|--|---|--|--|--|
| | | 1.3 Age range of population reporting experience is between 46-60 | | | |
| 2. Knowledge of causes | 2.1 Residents and people with education levels above high school graduation report knowledge of the causes of the phenomenon in the city | 2.1.1 Commuters and people with less than a high school education | To initiate a public awareness campaign in order to reach emerging categories. Example of communication via media, radio or television | Non structural measures: development of a road plan in emergency conditions | |
| | | | | Structural measures: Install dedicated road signs and mobile barriers | |
| | | | | Structural measures: Maintenance/redesign of flood-prone areas/affected infrastructure to ensure proper water run-off | |

| | | | | | |
|-----|--------------------------|--|--|---|---|
| | 3. Knowledge of measures | 3.1 The 46-60 age group and to a small extent the 30-45 age group, residents, people who live in an isolated house, and people living in at-risk areas | 3.1.1 Citizens under 30 years of age, commuters, people living in buildings at street floor and people not living in hazard proximity (considering the multiple nature of flooding and for this study the hazard proximity has been assessed only according to PAI) | To initiate a public awareness campaign in order to reach emerging categories. Example of communication through social media (involving young people); school seminars (involving young people up to 20 years old); institutional websites (for other categories of citizens) | Non structural measures: Building horizontal links with different categories of citizens and vertical links between local and national government |
| HCM | 4. Flood risk scenario 1 | 4.1 This scenario reports less than encouraging results in terms of propensity for protective behavior | 4.1.1 People who drive an automobile and people who live in a household of less than four people | To initiate a public awareness campaign in order to reach emerging categories. Example of communication via media, radio or television | |

| | | | | | |
|--|--------------------------|--|---|---|---|
| | 5. Flood risk scenario 2 | 5.1 Knowledge of measures and causes increases attitude toward protective behavior | 5.1.1 see categories of citizens involved in 2.1.1 and in addition attention should be paid to people with less than a high school, people with low income and those who have never been involved in a risk communication campaign. | To initiate a public awareness campaign in order to reach emerging categories. Example communication through events in public spaces (squares, hubs, gathering places within neighborhoods) | |
| | | Structural measures: renovation and/or creation of public gathering spaces | | | |
| | 6. Flood risk scenario 3 | 6.1 People living in isolated houses show lower protective behavior attitudes | 6.1.1 Care should be taken for those living in isolated houses | To initiate a public awareness campaign in order to reach emerging categories. Example targeted communication through institutional guidelines mailed in territorial areas | Non structural measures: Building horizontal links with different categories of citizens and vertical links between local and national government |

| | | | | | |
|--|--------------------------|---|---|---|--|
| | | | | characterized by extensive housing | |
| | 7. Flood risk scenario 4 | 7. Knowledge of measures and causes increases attitude toward protective behavior | 7.1.1 see categories of citizens involved in point 3.1.1 and in addition the focus is on the men and youth category | To initiate a public awareness campaign in order to reach emerging categories. Example of communication through social media (involving young people); school seminars (involving young people up to 20 years old); institutional websites (for other categories of citizens) | |

5.0 GENERAL CONCLUSION

This study provides a preliminary assessment and structuring of citizens' perceptions and knowledge of flood risk, in order to evaluate citizens' attitude to protective behavior and provide useful elements to support planning decision-making for flood management. Finally, although not among the main objectives of the work, it tried to identify some implications for urban planning relating to the results emerged. Some results highlight the importance to integrate urban planning and flood management, as widely discussed in Chapters 1 and 4.3.3.

The proposed methodology comes from a path developed in different times and experimentally applied to two case studies: Brindisi and Bari.

In this path the research questions have grown, increased and become more and more complex with the consequent search of possible ways.

The first research question to which an answer has been sought is whether there are elements that influence citizens' perception and knowledge of flood risk in urban areas. In order to answer this question, a literature review was carried out that allowed the construction of a theoretical model on the basis of which the E Survey to be submitted to the population of Brindisi and then to the case study of Bari.

In the case study of Brindisi, the data collected and processed through statistical tools such as Mann-Whitney and Kruskal-Wallis test, allowed to understand how citizens living in areas exposed to hydrogeological risk perceive flood risk and to what extent they know the protective measures to deal adaptively with a future flood event. The results show that the perception of flood risk is strongly related to variables such as trust in institutions, institutional communication and information. This is reflected even more in the categories of under 18 years of age and below. Previous experience, in

relation to perceived flood risk, plays a role in the awareness dimension alone while in relation to knowledge of protective measures, it is slightly higher for those who have experienced the event. In addition, a slightly higher perception emerged for those who live in areas at risk, but the results of the rest show that there is a non-negligible perception even where there is apparently no source of risk. This is reflected in the diverse nature of the flooding that has affected the city and should serve as input for policymakers to conduct investigations into latent risks. The findings provided insights into the specific case study and allowed for the development of suggestions for possible measures to be adopted or implemented in planning tools (see Table 3.8). This work adds to the numerous studies of structuring risk perception and knowledge aimed at supporting flood risk management processes. Although the methodology provided interesting outputs in terms of research, it failed to highlight other aspects. For example, the prevailing elements of risk perception and the correlation between perception and knowledge and the consequent actions that citizens might take under conditions of risk. These two uninvestigated aspects opened up two other research questions, which found an experimental application in the Bari case study.

Through factor analysis, it was possible to highlight the existence of a structure of latent factors, representing the prevailing elements of flood risk perception, which were then used in the construction of the SEM model.

The implementation of the SEM model to a utility model, the DCM, made it possible to structure risk perception and knowledge, correlate it and define the attitude to protective behavior in different risk scenarios.

The attitude to protective behavior was defined inspired by the Protection Motivation Theory, by Grothmann and Reuwiss (2006). Specifically, it follows the strand of

innovation introduced by Babcicky and Seebauer (2019), who extended PMT with the statistical technique of Structural Equation Modeling (SEM).

The creation of the model of this work fits into this context of innovation by partially inspiring and incorporating the utility model for the creation of an HCM.

The use of this type of hybrid models in the field of flood management is still poorly investigated, but looking at the fields of economic modeling, transportation and evacuation they are very effective, as amply demonstrated in Chapter 1.

In this still under-investigated field, it is believed that the adoption of models of this type but even more, the structuring of the presented methodology can add value to the current scientific and technical debate.

In fact, in the field of flood management, among others, there are difficulties related to:

- (i) collection of information related to the social sphere (Voinov et al., 2016);
- (ii) structuring the components related to the social sphere (Rundmo et al., 2017; Leckowska 2018; Santoro et al., 2019);
- (iii) to the modeling of human characteristics (Jonkman and Dawson 2012), such as perception, knowledge, behaviors (Rundmo et al., 2017; Leckowska 2018; Santoro et al., 2019); .

Which are addressed in the present study as follows:

- Referring to the techniques of collecting and managing information through an online semi-structured interview, which has the advantage for the analyst to create a database to be checked and analyzed in a short time, information to be spatially localized and data to be used for more accurate analysis. Elements that would improve the flood risk management process by planning more precise strategies focused on specific categories of citizens based on their demographics and location in an urban area at risk.

The use of this approach certainly has limitations: one intrinsic, related to the type of approach used; the others, related to the boundary conditions related to the period of health emergency during which the thesis was carried out.

In fact, the type of questions set on a Likert scale provides results in an aggregate form of the knowledge and perception of citizens, neglecting any facets, known for example from open-ended questions. Even in this case, however, problems would arise related to the interpretation and analysis of textual data.

In addition, it might have been interesting to include the perception and knowledge of citizens who do not use the web platform and to disseminate the questionnaire in a targeted manner in different geographical areas.

- In relation to the structuring of the components related to the social sphere, in this study risk perception and knowledge declinations were structured. In the literature, these components are addressed according to many approaches. From statistical modeling (Miceli et al., 2008) to the use of soft methods such as Fuzzy Cognitive Maps (Santoro et al., 2019). In the present study, an SEM model was chosen to be used.

On the other hand, although created based on a search for the most widely used elements in the literature, it provides a basis for a larger model that could be implemented with additional variables. This element represents the added value related to the replicability and ability to implement the model.

- In relation to the modeling of human characteristics, advances in social simulation techniques are making it possible to explore the responses of citizens under conditions of risk. Rijcken et al. show how serious gaming can be used as an interactive tool, including for recording stakeholder preferences. Elsewhere, Dawson et al. 2011, applied agent-based modeling techniques to simulate the evacuation of a flood-prone city.

The role of social science and public participation in understanding human behavior remains crucial.

These existing models, and those that emerged from this work, could certainly be improved by incorporating social science input; however, early results show great potential for substantially advancing our understanding of the role of people and communities in flood risk management.

In fact, looking at the results from both case studies, it is possible to see that both structural and non-structural planning measures have been proposed, to the benefit of what was discussed in Chapter 1.

In relation to the Brindisi case study, the results were organized to define temporally and spatially placed measures and suggestions.

Identifying the variables that influence community heterogeneity can be useful for policy makers, disaster managers, and various professionals who must coordinate and communicate with different levels of government, classes of action, and at various points in the disaster management cycle.

The case study of Bari, even less so than Brindisi, certainly did not help in formulating suggestions for land use planning. It has emerged how distant is the memory of citizens and consequently also the perception of risk.

In spite of this, it has been possible to deduce that, there are not places more than others, that could represent a potential danger for the citizens because the proximity to the source of risk has not resulted a variable that produces implications on the perception; the knowledge of the causes of the phenomenon is possessed more from the residents and from those who or have assisted to information campaigns or that have a higher level of education. And knowledge of the causes of the phenomenon implies an increase in perception of the risk; residents also possess knowledge about the measures to be taken along with those who are over 45 years old (and who have

probably experienced the event) and those who live in isolated houses. This is likely because they have been called upon to take action on their own.

Some suggestions to support the planning process would be to initiate an integrated citizenry/institutional knowledge process that includes non-residents and commuters. This could be achieved through training and outreach within workplaces. Reach out to younger age groups. This is possible not only through targeted social campaigns but also through cycles of meetings in schools or in the places most frequented.

Although perception was low, it was possible to infer some suggestions for land use planning. The creation of an HCM in a place where one has more experience with the event, or a city that develops around a river, would surely give more relevant results and provide more detailed indications to support flood risk management (see table 4.18).

In conclusion, the methodological approach adopted in this study allowed to:

- To structure, elicit and validate two purely qualitative concepts: perception and knowledge;
- To assess how these two dimensions affect a citizen's ability to take protective action, in specific risk scenarios. And therefore to create a connection between perception and action.
- To know the categories of citizens most exposed in order to act with timely and effective strategies.
- To suggest some suggestions of integration between territorial planning and flood management

This work represents only the beginning of a path for the construction of agent-based models that could be developed in many ways, from the implementation of equations to support artificial intelligence, to the construction of simulation spaces in virtual reality.

6.0 REFERENCES

- Aguilar-Barajas, I.; Sisto, N.P.; Ramirez, A.I.; Magaña-Rueda, V. Building Urban Resilience and Knowledge Co-Production in the Face of Weather Hazards: Flash Floods in the Monterrey Metropolitan Area (Mexico). *Environ. Sci. Policy* 2019, 99, 37–47
- Alderman K, Turner LR, Tong S. 2012. Floods and human health: a systematic review. *Environ Int.* 47:37-47. doi: 10.1016/j.envint.2012.06.003.
- Andráško I. Why People (Do Not) Adopt the Private Precautionary and Mitigation Measures: A Review of the Issue from the Perspective of Recent Flood Risk Research. *Water.* 2021; 13(2):140. <https://doi.org/10.3390/w13020140>
- Apel, H., Aronica, G.T., Kreibich, H., Thielen, A.H., 2009. Flood risk analyses - How detailed do we need to be? *Nat.Hazards* 49, 79–98. <https://doi.org/10.1007/s11069-008-9277-8>
- Armstrong, R.A., 2014. When to use the Bonferroni correction. *Ophthalmic Physiol. Opt.* 34, 502–508. <https://doi.org/10.1111/opo.12131>
- Baan, P. J., & Klijn, F. (2004). Flood risk perception and implications for flood risk management in the Netherlands. *International journal of river basin management*, 2(2), 113-122
- Babicky, P., & Seebauer, S. (2019). Unpacking Protection Motivation Theory: evidence for a separate protective and non-protective route in private flood mitigation behavior. *Journal of Risk Research*, 22(12), 1503-1521.
- Baker, M., Hincks, S., & Sherriff, G. (2010). Getting involved in plan making: participation and stakeholder involvement in local and regional spatial strategies in England. *Environment and Planning C: Government and Policy*, 28(4), 574-594.
- Birkholz, S., Muro, M., Jeffrey, P., Smith, H.M., 2014. Rethinking the relationship between flood risk perception and flood management. *Sci. Total Environ.* 478, 12–20. <https://doi.org/10.1016/j.scitotenv.2014.01.061>

- Blalock Jr, H. M. (1961). Correlation and causality: The multivariate case. *Social Forces*, 39(3), 246-251.
- Bodoque, J.M., Díez-Herrero, A., Amerigo, M., García, J.A., Olcina, J., 2019. Enhancing flash flood risk perception and awareness of mitigation actions through risk communication: A pre-post survey design. *J. Hydrol.* 568, 769–779. <https://doi.org/10.1016/j.jhydrol.2018.11.007>
- Bollen, Kenneth A. 1989. *Structural Equations With Latent Variables*. New York: Wiley.
- Botzen WJW, Aerts JCJH, Van Den Bergh JCJM (2009) Dependence of flood risk perceptions on socioeconomic and objective risk factors. *Water Resour Res* 45(10):1–15. <https://doi.org/10.1029/2009WR007743>
- Botzen, W.J.W., Blasch, J.E. and de Moel, H. (2020), Insights into Flood Risk Misperceptions of Homeowners in the Dutch River Delta. *Risk Analysis*, 40: 1450-1468. <https://doi.org/10.1111/risa.13479>
- Bradford, R.A., O’Sullivan, J.J., Van Der Craats, I.M., Krywkow, J., Rotko, P., Aaltonen, J., Bonaiuto, M., De Dominicis, S., Waylen, K., Schelfaut, K., 2012. Risk perception - Issues for flood management in Europe. *Nat. Hazards Earth Syst. Sci.* 12, 2299–2309. <https://doi.org/10.5194/nhess-12-2299-2012>
- Brown, C. (2007), *Differential Equations—A Modelling Approach*, Quant. Appl. Soc. Sci., SAGE Publ.
- Bubeck, P., Botzen, W.J.W., Aerts, J.C.J.H., 2012. A Review of Risk Perceptions and Other Factors that Influence Flood Mitigation Behavior. *Risk Anal.* 32, 1481–1495. <https://doi.org/10.1111/j.1539-6924.2011.01783.x>
- Burningham, K.; Fielding, J.; Thrush, D. ‘It’ll Never Happen to Me’: Understanding Public Awareness of Local Flood Risk. *Disasters* 2008, 32, 216–238
- Cheng, G., Wilmot, C. G., & Baker, E. J. (2008, January). A destination choice model for hurricane evacuation. In proceedings of the 87th annual meeting transportation research board, Washington, DC, USA (pp. 13-17).

- De Koning, K.; Filatova, T.; Need, A.; Bin, O. Avoiding or Mitigating Flooding: Bottom-up Drivers of Urban Resilience to Climate Change in the USA. *Glob. Environ. Chang.* 2019, 59, 101981.
- Frimpong, E., Howard, G., & Kruse, J. (2022). Homeowner Preference for Household-level Flood Mitigation in US: Analysis of a Discrete Choice Experiment. *Journal of Agricultural and Applied Economics*, 1-24. doi:10.1017/aae.2022.5
- Grothmann, T.; Reusswig, F. People at Risk of Flooding: Why Some Residents Take Precautionary Action While Others Do Not. *Nat. Hazards* 2006, 38, 101–120.
- J.M.M. Neuvel, W. Van Der Knaap A spatial planning perspective for measures concerning flood risk management *International Journal of Water Resources Development*, 26 (2) (2010), pp. 283-296, 10.1080/07900621003655668
- Ryffel Andrea Nathalie, Wolfgang Rid, Adrienne Grêt-Regamey, Land use trade-offs for flood protection: A choice experiment with visualizations, *Ecosystem Services*, Volume 10, 2014, Pages 111-123, ISSN 2212-0416, <https://doi.org/10.1016/j.ecoser.2014.09.008>.
- Wachinger, G.; Renn, O.; Begg, C.; Kuhlicke, C. The Risk Perception Paradox—Implications for Governance and Communication of Natural Hazards. *Risk Anal.* 2013, 33, 1049–1065.
- Wang, P., Li, Y., & Zhang, Y. (2021). An urban system perspective on urban flood resilience using SEM: evidence from Nanjing city, China. *Natural Hazards*, 109(3), 2575-2599.
- Wang, Z.; Wang, H.; Huang, J.; Kang, J.; Han, D. Analysis of the Public Flood Risk Perception in a Flood-Prone City: The Case of Jingdezhen City in China. *Water* 2018, 10, 1577
- Weinstein, N.D. Effects of Personal Experience on Self-Protective Behavior. *Psychol. Bull.* 1989, 105, 31–50.
- White, J. Richards Planning policy and flood risk: The translation of national guidance into local policy *Planning Practice and Research*, 22 (4) (2007), pp. 513-534, 10.1080/02697450701770050

- Burns, W. J., & Slovic, P. (2012). Risk perception and behaviors: anticipating and responding to crises. *Risk Analysis*.
- Clemens, P., Hietala, J., Rytter, M., Schmidt, R., & Reese, D. (1999). Risk of domestic violence after flood impact: Effects of social support, age, and history of domestic violence. *Applied Behavioral Science Review*, 7(2), 199–206.;
- Davenport, T. H., & Prusak, L. (1998). *Working knowledge: How organizations manage what they know*. Harvard Business Press.
- Dawson, R. J., Peppe, R., & Wang, M. (2011). An agent-based model for risk-based flood incident management. *Natural hazards*, 59(1), 167-189.
- Di Baldassarre, G., Kooy, M., Kemerink, J.S., Brandimarte, L., 2013. Towards understanding the dynamic behaviour of floodplains as human-water systems. *Hydrol. Earth Syst. Sci.* 17, 3235–3244. <https://doi.org/10.5194/hess-17-3235-2013>
- Diakakis, M., Priskos, G. & Skordoulis, M. (2018). Public perception of flood risk in flash flood prone areas of Eastern Mediterranean: The case of Attica Region in Greece. *International Journal of Disaster Risk Reduction*, Volume 28, June 2018, rr. 404-413.
- Dittrich, R., Wreford, A. Butler, and D. Moran. 2016. “The Impact of Flood Action Groups on the Uptake of Flood Management Measures.” *Climatic Change* 138 (3–4): 471–489.
- Driscoll, D. L., Appiah-Yeboah, A., Salib, P., & Rupert, D. J. (2007). Merging qualitative and quantitative data in mixed methods research: How to and why not.
- Fielding, N. G. (2012). Triangulation and mixed methods designs: Data integration with new research technologies. *Journal of mixed methods research*, 6(2), 124-136.
- Fox-Rogers, L., Devitt, C., O’Neill, E., Brereton, F., Clinch, J.P., 2016. Is there really “nothing you can do”? Pathways to enhanced flood-risk preparedness. *J. Hydrol.* 543, 330–343. <https://doi.org/10.1016/j.jhydrol.2016.10.009>

- Gordon, K. H., Bresin, K., Dombeck, J., Routledge, C., & Wonderlich, J. A. (2011). The impact of the 2009 Red River Flood on interpersonal risk factors for suicide. *Crisis*.
- Grothmann, T., Reusswig, F., 2006. People at risk of flooding: why some residents take precautionary action while others do not. *Nat. Hazards* 38, 101–120.
- Ha Anh, H., Da Hanh, T. M., Thi Tuong Vi, N., & Shunbo, Y. (2018). Examining the interaction of flood vulnerability determinants in Cambodia and Vietnam using partial least squares structural equation modeling. *Water Policy*, 20(6), 1256-1278.
- Henstra, D.; Thistlethwaite, J.; Brown, C.; Scott, D. Flood Risk Management and Shared Responsibility: Exploring Canadian Public Attitudes and Expectations. *J. Flood Risk Manag.* 2019, 12, e12346
- Hess, S. (2005). Advanced discrete choice models with applications to transport demand (Doctoral dissertation, University of London).
- Ho, M.-C.; Shaw, D.; Lin, S.; Chiu, Y.-C. How Do Disaster Characteristics Influence Risk Perception? *Risk Anal.* 2008, 28, 635–643.
- Huang, H. J., & Guo, R. Y. (2008). Static floor field and exit choice for pedestrian evacuation in rooms with internal obstacles and multiple exits. *Physical Review E*, 78(2), 021131.
- Huang, J., Cao, W., Wang, H., & Wang, Z. (2020). Affect path to flood protective coping behaviors using SEM based on a survey in Shenzhen, China. *International Journal of Environmental Research and Public Health*, 17(3), 940.
- Hayduk, L. A. (1987). *Structural equation modeling with LISREL: Essentials and advances*. Jhu Press.
- Hjelkrem, O. A., & Ryeng, E. O. (2016). Chosen risk level during car-following in adverse weather conditions. *Accident Analysis & Prevention*, 95, 227-235.
- Howe, J., & White, I. (2004). Like a fish out of water: The relationship between planning and flood risk management in the UK. *Planning Practice and Research*, 19(4), 415-425.

- Huang, J., Li, X., Zhang, L., Li, Y., Wang, P., 2020. Risk perception and management of debris flow hazards in the upper salween valley region: Implications for disaster risk reduction in marginalized mountain communities. *Int. J. Disaster Risk Reduct.* 51. <https://doi.org/10.1016/j.ijdr.2020.101856>
- Janssen MA, and Ostrom E. (2006). Resilience, vulnerability and adaptation: A cross-cutting theme of the International Human Dimensions Programme on Global Environmental Change. *Global Environmental Change* 16:237-239.
- Jick, T. D. (1979). Mixing qualitative and quantitative methods: Triangulation in action. *Administrative Science Quarterly*, 24(4), 602-611.
- Jega, A. A., Man, N., Abd Latiff, I., & Wong, K. K. S. (2018). Impact of Flood and Flood Disaster Management: The Perception of Smallholder Farmers in Kelantan Malaysia.
- Jing Ran, Zorica Nedovic-Budic, Integrating spatial planning and flood risk management: A new conceptual framework for the spatially integrated policy infrastructure, *Computers, Environment and Urban Systems*, Volume 57, 2016, Pages 68-79, ISSN 0198-9715, <https://doi.org/10.1016/j.compenvurbsys.2016.01.008>
- Kellens, W.; Zaalberg, R.; Neutens, T.; Vanneuville, W.; De Maeyer, P. An Analysis of the Public Perception of Flood Risk on the Belgian Coast. *Risk Anal.* 2011, 31, 1055–1068.
- Lave, T.R.; Lave, L.B. Public Perception of the Risks of Floods: Implications for Communication. *Risk Anal.* 1991
- Le Pira, M., Marcucci, E., Gatta, V., Inturri, G., Ignaccolo, M., & Pluchino, A. (2017). Integrating discrete choice models and agent-based models for ex-ante evaluation of stakeholder policy acceptability in urban freight transport. *Research in transportation economics*, 64, 13-25.
- Kahneman, D., & Tversky, A. (1979). On the interpretation of intuitive probability: A reply to Jonathan Cohen.

- Kellens, W., Terpstra, T., De Maeyer, P., 2013. Perception and Communication of Flood Risks: A Systematic Review of Empirical Research. *Risk Anal.* 33, 24–49. <https://doi.org/10.1111/j.1539-6924.2012.01844.x>
- Kellens, W.; Zaalberg, R.; Neutens, T.; Vanneuville, W.; De Maeyer, P. An Analysis of the Public Perception of Flood Risk on the Belgian Coast. *Risk Anal.* 2011, 31, 1055–1068]
- Krug, E. G., Kresnow, M. J., Peddicord, J. P., Dahlberg, L. L., Powell, K. E., Crosby, A. E., & Annest, J. L. (1998). Suicide after natural disasters. *New England Journal of Medicine*, 338(6), 373-378.
- Kuhlicke, C., Scolobig, A., Tapsell, S., Steinführer, A., & De Marchi, B. (2011). Contextualizing social vulnerability: findings from case studies across Europe. *Natural hazards*, 58(2), 789-810.
- Lackova Rebicova, M., Dankulincova Veselska, Z., Husarova, D. et al. Does family communication moderate the association between adverse childhood experiences and emotional and behavioural problems?. *BMC Public Health* 20, 1264 (2020). <https://doi.org/10.1186/s12889-020-09350-9>
- Lawrence, J., Quade, D., & Becker, J. (2014). Integrating the effects of flood experience on risk perception with responses to changing climate risk. *Natural Hazards*, 74, 1773–1794.
- Le Dang, H., Li, E., Nuberg, I., & Bruwer, J. (2014). Understanding farmers' adaptation intention to climate change: A structural equation modelling study in the Mekong Delta, Vietnam. *Environmental Science & Policy*, 41, 11-22.
- Lechowska, E., 2018. What determines flood risk perception? A review of factors of flood risk perception and relations between its basic elements. *Nat. Hazards* 94, 1341–1366. <https://doi.org/10.1007/s11069-018-3480-z>
- Liao, K. 2012. A theory on urban resilience to floods—a basis for alternative planning practices. *Ecology and Society* 17(4): 48. <http://dx.doi.org/10.5751/ES-05231-170448>
- Lindell MK, Hwang SN (2008) Households' perceived personal risk and responses in a multihazard environment. *Risk Anal* 28(2):539–556. <https://doi.org/10.1111/j.1539-6924.2008.01032.x>

- Liu, D., Li, Y., Shen, X., Xie, Y., Zhang, Y., 2018. Flood risk perception of rural households in western mountainous regions of Henan
- Liu, D., Tian, F., Lin, M., & Sivapalan, M. (2015). A conceptual socio-hydrological model of the co-evolution of humans and water: case study of the Tarim River basin, western China. *Hydrology and Earth System Sciences*, 19(2), 1035-1054.
- Liu, D., Li, Y., Fang, S., & Zhang, Y. (2017). Influencing factors for emergency evacuation capability of rural households to flood hazards in western mountainous regions of Henan province, China. *International journal of disaster risk reduction*, 21, 187-195.
- Lovreglio, R., Kuligowski, E., Walpole, E., Link, E., & Gwynne, S. (2020). Calibrating the Wildfire Decision Model using hybrid choice modelling. *International Journal of Disaster Risk Reduction*, 50, 101770.
- Lovreglio, R., Borri, D., dell'Olio, L., & Ibeas, A. (2014). A discrete choice model based on random utilities for exit choice in emergency evacuations. *Safety science*, 62, 418-426.
- Lovreglio, R., Dillies, E., Kuligowski, E., Rahouti, A., & Haghani, M. (2021). Investigating Exit Choice in Built Environment Evacuation combining Immersive Virtual Reality and Discrete Choice Modelling. *arXiv preprint arXiv:2110.11577*.
- Lowe, D., Ebi, K.L., Forsberg, B., 2013. Factors increasing vulnerability to health effects before, during and after floods. *Int. J. Environ. Res. Public Health* 10, 7015–7067. <https://doi.org/10.3390/ijerph10127015>
- M. Siegrist, H. Gutscher, Flooding risks: a comparison of lay people's perceptions and expert's assessments in Switzerland, *Risk Anal.* 26 (2006) 971–979. [http:// dx.doi.org/10.1111/j.1539-6924.2006.00792.x](http://dx.doi.org/10.1111/j.1539-6924.2006.00792.x).
- Mann, H.B. and Whitney, D.R. (1947) On a Test of Whether One of Two Random Variables Is Stochastically Larger than the Other. *Annals of Mathematical Statistics*, 18, 50-60.
- Marchment, Z., & Gill, P. (2019). Modelling the spatial decision making of terrorists: The discrete choice approach. *Applied geography*, 104, 21-31.

- Martins, B., Nunes, A., Lourenço, L., Velez-Castro, F., 2019. Flash flood risk perception by the population of Mindelo, S. Vicente (Cape Verde). *Water (Switzerland)* 11, 1–14. <https://doi.org/10.3390/w11091895>
- Martins, B., Nunes, A., Lourenço, L., Velez-Castro, F., 2019. Flash flood risk perception by the population of Mindelo, S. Vicente (Cape Verde). *Water (Switzerland)* 11, 1–14. <https://doi.org/10.3390/w11091895>
- McMillan, H., Montanari, A., Cudennec, C., Savenije, H., Kreibich, H., Krueger, T., & Xia, J. (2016). Panta Rhei 2013–2015: global perspectives on hydrology, society and change. *Hydrological Sciences Journal*, 61(7), 1174-1191;
- Mendoza, G., Prabhu, R., 2006. Participatory modelling and analysis for sustainable forest management: overview of soft system dynamics models and applications. *Forest Policy and Economics* 9, 179e196.
- Miceli R, Sotgiu I, Settanni M. 2008. Disaster preparedness and perception of flood risk: A study in an alpine valley in Italy. *Journal of Environmental Psychology*; 28(2):164–173.
- Mondino, E., Scolobig, A., Borga, M., Di Baldassarre, G., 2020. The role of experience and different sources of knowledge in shaping flood risk awareness. *Water (Switzerland)* 12. <https://doi.org/10.3390/W12082130>
- Montanari, A., Young, G., Savenije, H. H. G., Hughes, D., Wagener, T., Ren, L. L., ... & Belyaev, V. (2013). “Panta Rhei—everything flows”: change in hydrology and society—the IAHS scientific decade 2013–2022. *Hydrological Sciences Journal*, 58(6), 1256-1275.
- Mossa M. (2021) what history should have taught. Mario Adda editore. ISBN: 9788867175390
- Mueller, R. O., & Hancock, G. R. (2008). Best practices in structural equation modeling. *Best practices in quantitative methods*, 488508. Brown, 2007).
- Neuvel, J. M. M., & Van Der Knaap, W. (2010). A spatial planning perspective for measures concerning flood risk management. *International Journal of Water Resources Development*, 26(2), 283-296.

- Ngo, C. C., Poortvliet, P. M., & Feindt, P. H. (2020). Drivers of flood and climate change risk perceptions and intention to adapt: an explorative survey in coastal and delta Vietnam. *Journal of Risk Research*, 23(4), 424-446.
- O'Neill, E., Brereton, F., Shahumyan, H. and Clinch, J.P. (2016), The Impact of Perceived Flood Exposure on Flood-Risk Perception: The Role of Distance. *Risk Analysis*, 36: 2158-2186.
- Ostertagova, E., Ostertag, O., & Kováč, J. (2014). Methodology and application of the Kruskal-Wallis test. In *Applied Mechanics and Materials* (Vol. 611, pp. 115-120). Trans Tech Publications Ltd.
- Ostrom, E. (2009). A general framework for analyzing sustainability of social-ecological systems. *Science*, 325(5939), 419-422.
- Papadopoulos, G.A., Lekkas, E., Katsetsiadou, K., Rovythakis, E., & Yahav, A. (2020). Tsunami Alert Efficiency in the Eastern Mediterranean Sea: The 2 May 2020 Earthquake (Mw6.6) and Near-Field Tsunami South of Crete (Greece).
- Papagiannaki, K., Kotroni, V., Lagouvardos, K., and Papagiannakis, G.: How awareness and confidence affect flood-risk precautionary behavior of Greek citizens: the role of perceptual and emotional mechanisms, *Nat. Hazards Earth Syst. Sci.*, 19, 1329–1346, <https://doi.org/10.5194/nhess-19-1329-2019>, 2019.
- Peng, R., Zhao, Y., Elahi, E., & Peng, B. (2021). Does disaster shocks affect farmers' willingness for insurance? Mediating effect of risk perception and survey data from risk-prone areas in East China. *Natural Hazards*, 106(3), 2883-2899.
- Proceedings of the Eastern Asia Society for Transportation Studies, Vol.10, 2015 Understanding the Decision of Flood Evacuation Departure Time Using Discrete Choice Model Ma. Bernadeth LIM a , Hector Jr. LIM b , Mongkut PIANTANAKULCHAic , Francis Aldrine UYd
- Report, C.S.C., n.d. The European Floods Directive and Opportunities offered by Land Use Planning.
- ISPRA REPORT 356/2021, Rapporto dissesto idrogeologico Italia

- Rana, I. A., Jamshed, A., Younas, Z. I., & Bhatti, S. S. (2020). Characterizing flood risk perception in urban communities of Pakistan. *International journal of disaster risk reduction*, 46, 101624.
- Regional Landscape Masterplan, 2013 http://www.sit.puglia.it/portal/portale_pianificazione_regionale/Piano%20Pae_saggistico%20Territoriale (last access_ 01/02/2022)
- Renn O. (2005) White Paper on Risk Governance: Towards an Integrative Approach. Geneva, Switzerland: International Risk Governance Council (IRGC).
- Renn, O. and Rohrman, B., 2000. Cross-Cultural Risk Perception: State and Challenges. In: Renn O., Rohrman B. (eds) *Cross-Cultural Risk Perception. Technology, Risk, and Society (An International Series in Risk Analysis)*, vol 13. Springer, Boston, MA. https://doi.org/10.1007/978-1-4757-4891-8_6
- Renn, O., 2008. Risk Communication: Insights and Requirements for Designing Successful Communication Programs on Health and Environmental Hazards. In *Handbook of Risk and Crisis Communication*, edited by Robert L. Heath and Dan O'Hair, 80-98. Routledge Communication Series. New York: Routledge.
- Rippetoe, P. A., & Rogers, R. W. (1987). Effects of components of protection-motivation theory on adaptive and maladaptive coping with a health threat. *Journal of personality and social psychology*, 52(3), 596.
- Roder G, Hudson P, Tarolli P (2019) Flood risk perceptions and the willingness to pay for flood insurance in the Veneto region of Italy. *Int J Disaster Risk Reduct* 37:101172
- Samuel Rufat, Eric Tate, Christopher G. Burton, Abu Sayeed Maroof, Social vulnerability to floods: Review of case studies and implications for measurement, *International Journal of Disaster Risk Reduction*, Volume 14, Part 4, 2015, Pages 470-486, ISSN 2212-4209, <https://doi.org/10.1016/j.ijdrr.2015.09.013>.

- Scolobig, A., De Marchi, B., Borga, M., 2012. The missing link between flood risk awareness and preparedness: findings from case studies in an Alpine Region. *Natural Hazards*, 63(2), 499-520.
- Shao, W., Keim, B.D., Xian, S., O'Connor, R., 2019. Flood hazards and perceptions – A comparative study of two cities in Alabama. *J. Hydrol.* 569, 546–555. <https://doi.org/10.1016/j.jhydrol.2018.11.070>
- Siegrist M, Cvetkovich G (2000) Perception of hazards: the role of social trust and knowledge. *Risk Anal : Off Publ Soc Risk Anal* 20(5):713–719
- Sivapalan, M., Savenije, H. H., & Blöschl, G. (2012). Socio-hydrology: A new science of people and water. *Hydrol. Process*, 26(8), 1270-1276.
- Sjöberg L. Worry and risk perception. *Risk Anal* 1998, 18, 85–93.
- Sjöberg, L.; Moen, B.E.; Rundmo, T. Explaining Risk Perception. An Evaluation of the Psychometric Paradigm in Risk Perception Research; Rotunde publikasjoner Rotunde: Trondheim, Norway, 2004
- Slovic, P. (1987). Perception of risk. *Science*, 236, 280–285.
- Slovic, P., Finucane, M. L., Peters, E., & MacGregor, D. G. (2002). The affect heuristic. In T. Gilovich, D. Griffin, & D. Kahneman (Eds.), *Heuristics and biases: The psychology of intuitive judgment* (pp. 397–420). New York: Cambridge University Press
- Slovic, P., Finucane, M.L., Peters, E., MacGregor, D.G., 2004. Risk as analysis and risk as feelings: some thoughts about affect, reason, risk, and rationality. *Risk Anal.* 24, 31–322.
- Spearman, Charles. 1904. "General Intelligence," Objectively Determined and Measured. *The American Journal of Psychology* 15: 201–92.
- Streiner, D. L., & Norman, G. R. (2011). Correction for multiple testing: is there a resolution?. *Chest*, 140(1), 16-18.
- Tainter, J. A. (2004), Plotting the downfall of society, *Nature*, 427, 488–489.
- Terpstra T, Lindell K, Gutteling JM. Does communicating (flood) risk affect (flood) risk perceptions? Results of a quasi- experimental study. *Risk Analysis*, 2009; 9(8):1141–1155.

- Thistlethwaite, J., Henstra, D., Brown, C. and Scott, D.: How Flood Experience and Risk Perception Influences Protective Actions and Behaviours among Canadian Homeowners, *Environmental Management*, 61(2), 197–208, doi:10.1007/s00267-017-0969-2, 2018.
- Turchin, P., and A. Korotayev (2006), Population dynamics and internal warfare: A reconsideration, *Soc. Evol. Hist.*, 5(2), 112–147
- Ullah, F., Saqib, S. E., Ahmad, M. M., & Fadlallah, M. A. (2020). Flood risk perception and its determinants among rural households in two communities in Khyber Pakhtunkhwa, Pakistan. *Natural Hazards*, 104(1), 225-247.
- Van Emmerik, T. H. M., Li, Z., Sivapalan, M., Pande, S., Kandasamy, J., Savenije, H. H. G., ... & Vigneswaran, S. (2014). Socio-hydrologic modeling to understand and mediate the competition for water between agriculture development and environmental health: Murrumbidgee River basin, Australia. *Hydrology and Earth System Sciences*, 18(10), 4239-4259.
- Veraart, J. A., Van Ierland, E. C., Werners, S. E., Verhagen, A., De Groot, R. S., Kuikman, P. J., & Kabat, P. (2010). Climate change impacts on water management and adaptation strategies in The Netherlands: stakeholder and scientific expert judgements. *Journal of Environmental Policy & Planning*, 12(2), 179-200.
- Voinov, A., Kolagan, N., McCall, M.K., Glynn, P.D., Kragt, M.E., Ostermann, F.O., Pierce, S.A., Ramu, P., 2016. Modelling with stakeholders - next generation. *Environ. Model. Software* 77, 196–220.
- Wachinger, G., Renn, O., Begg, C. and Kuhlicke, C. 2013. The Risk Perception Paradox—Implications for Governance and Communication of Natural Hazards. *Risk Analysis*, 33: 1049-1065. <https://doi.org/10.1111/j.1539-6924.2012.01942.x>
- Wang Z, Huimin W, Huang J, Kang J, Han D (2018) Analysis of the public flood risk perception in a flood- prone city: the case of Jingdezhen City in China. *Water* 10(11):1577. <https://doi.org/10.3390/w10111577>

- Wang, H., Zhou, J., Tang, Y., Liu, Z., Kang, A., & Chen, B. (2021). Flood economic assessment of structural measure based on integrated flood risk management: A case study in Beijing. *Journal of Environmental Management*, 280, 111701.
- Weichselgartner, J., & Pigeon, P. (2015). The role of knowledge in disaster risk reduction. *International Journal of Disaster Risk Science*, 6(2), 107–116. <https://doi.org/10.1007/s13753-015-0052-7>.
- Weinstein, N. D., Rothman, A. J., and Nicolich, M.: 1998, Using correlations to study relationships between risk perceptions and preventive behavior, *Psychol. Health* 13, 479–501.
- Werner, B. and McNamara, D.: Dynamics of coupled human-landscape systems, *Geomorphology*, 91, 393–407, doi:10.1016/j.geomorph.2007.04.020, 2007.
- White, I., & Richards, J. (2007). Planning policy and flood risk: The translation of national guidance into local policy. *Planning, practice & research*, 22(4), 513-534.).
- Wickes, R., Zahnow, R., Taylor, M. and Piquero, A.R. 2015. Neighborhood Structure, Social Capital, and Community Resilience: Longitudinal Evidence from the 2011 Brisbane Flood Disaster*. *Social Science Quarterly*, 96: 330-353. <https://doi.org/10.1111/ssqu.12144>
- Wilcoxon F. (1945) Individual comparisons by ranking methods. *Biometrics* 1: 80-83.
- Xia, N., Wang, X., Griffin, M.A., Wu, C., Liu, B., 2017. Do we see how they perceive risk? An integrated analysis of risk perception and its effect on workplace safety behavior. *Accid. Anal. Prev.* 106, 234–242. <https://doi.org/10.1016/j.aap.2017.06.010>
- Zaalberg, R., Midden, C., Meijnders, A., & McCalley, T. (2009). Prevention, adaptation, and threat denial: Flooding experiences in the Netherlands. *Risk Analysis: An International Journal*, 29(12), 1759-1778.

7.0 ACKNOWLEDGMENTS

Per il compimento di questo percorso di dottorato ringrazio:

i miei Supervisor, il Prof. Domenico Camarda e il Prof. Umberto Fratino per il supporto professionale e umano offertomi in questi anni e la fiducia riposta per il raggiungimento di questo obiettivo;

il mio tutor, l'Ing. Ruggiero Lovreglio, il quale mi ha fornito gli strumenti per esplorare nuove vie della ricerca con estremo entusiasmo, professionalità e costanza, nonostante le condizioni di estrema eccezionalità che hanno contraddistinto l'intera durata del triennio; l'Ing. Erica Kuligowsky, il cui supporto professionale mi ha consentito di trovare una chiave di volta per l'intera ricerca;

il mio Co-tutor l'ing. Raffaele Giordano e l'Ing. Alessandro Pagano, grazie ai quali ho avuto la possibilità di muovere i primi passi nel mondo della ricerca e coltivare la mia curiosità scientifica;

il Prof. Borri mentore indiscusso, e in qualità di Assessore insieme all'Architetto Marina Carrozzo dell'ufficio tecnico di pianificazione del Comune di Brindisi, per la disponibilità offerta durante il processo di raccolta dei dati;

il mio collega e amico Vincenzo, presenza fedele e rassicurante, per il percorso professionale e umano condiviso;

i miei affetti più cari e la mia famiglia. A loro va tutta la mia infinita gratitudine.

8.0 LIST OF FIGURES

- **Chapter 0**

Figure 0.2 Methodology workflow

- **Chapter 2**

Figure 2.1 Flooding maps for an event with a return period of 30 years (in blue) (PAI, 2019)

Figure 2.2 Brindisi city

Figure 2.3 Mainstream network: a) Canale Cillarese, b) Canale Patri, c) Fiume Piccolo, d) Fiume Grande

Figure 2.4 Flooding maps for an event with a return period of 30 years (in blue) (PAI, 2019)

Figure 2.5 Maps of the census of flooded streets reported by local newspapers

Figure 2.6 Overflow Canale Patri

Figure 2.7 Flooding in via Tor Pisana (meteoweb. EU)

Figure 2.8 Flooding in via provinciale Lecce (Il quotidiano di Puglia.it)

Figure 2.9 Flooding in Viale Commenda (Brindisi Oggi. it)

Figure 2.10 Bari city

Figure 2.11 District and lame

Figure 2.12 Building for flooded people

Figure 2.13 Plaques in remembrance of the events

Figure 2.14 Floodable area in blue with a return period of 30 years, a lama in green (PAI), and red boundaries identified neighborhoods.

Figure 2.15 Lama Picone after 2005 flooding event

Figure 2.16 Railway embankment after 2005 flooding event, Acquaviva Delle Fonti city (BA).

Figure 2.17 Collapse of the building of a company of the S. Rita flyway after 2005 flooding event

• Chapter 3

Figure 3.1 Theoretical framework

Figure 3.2 Methodology applied

Figure 3.3 E-survey logo

Figure 3.4 Homepage of the website

Figure 3.5 Boxplots of statistically significant risk perception variables

Figure 3.6 Landmarks of perceived flooded streets

Figure 3.7 Boxplots of knowledge of protective measures variables

• Chapter 4

Figure 4.1 The structural model according to the PMT

Figure 4.2 Methodology applied

Figure 4.3 Content of E -Survey regarding Flood risk scenario

Figure 4.4 Type of relationship between variables

Figure 4.5 Path diagram simbology

Figure 4.6 SEM model theory

Figure 4.7 Relationship between observed and latent variables

Figure 4.8 Relationship between latent variables

Figure 4.9 Hybrid Choice Model framework

Figure 4.10 SEM model build on SPSS

Figure 4.11 Relationship between latent variables and R^2 values

Figure 4.12 The impact of the observed variables on *Risk perception*
Figure 4.13 The impact of the observed variables on *Knowledge of Causes*
Figure 4.14 The impact of the observed variables on *Knowledge of Measures*
Figure 4.15 Degree of flood risk perception relating to direct experience variable
Figure 4.16 Memory of a flood event in the city of Bari. Percentage of respondent
Figure 4.17 Citizens' attitudes toward protective behavior
Figure 4.18 Statistically significance of latent variable_ Flood risk Scenario 1
Figure 4.19 Statistically significance of latent variable_ Flood risk Scenario 2
Figure 4.20 Statistically significance of latent variable_ Flood risk Scenario 3
Figure 4.21 Statistically significance of latent variable_ Flood risk Scenario 4

9. LIST OF TABLES

• Chapter 2

Table 2.1 Census of flooded streets reported by local newspapers
Table 2.2 Damage of flood event, Bari 22/10/2005
Table 2.3 Damage of flood event in Bari after 2005

• Chapter 3

Table 3.1 Socio-demographic variable
Table 3.2 Items of the survey regarding risk perception
Table 3.3 Items of the survey regarding preparedness knowledge
Table 3.4 Sample characteristics
Table 3.5 Neighborhoods subdivided according to PAI (2005) flood-prone areas
Table 3.6 MWT and KWT p-values for risk perception analysis
Table 3.7 MWT and KWT -values for preparedness knowledge analysis

Table 1 Time positioned suggested flood mitigation measures

● **Chapter 4**

Table 4.1 Indicative references that examine flood risk perception (2018-2020)

Table 4.2 Content of E-survey

Table 4.3 Variables description

Table 4.4 Some indicative references regarding the relationship between observed variables and latent factors

Table 4.5 Some indicative references regarding the relationship between latent variables

Table 4.6 Variables code

Table 4.7 The content of the E survey

Table 4.8 Value from Factorial Analysis

Table 4.9 Model Fit

Table 4.10 Squared multiple correlations

Table 4.11 Statistical significance

Table 4.12 Regression weights for predicting the unobserved variables from the observed variable

Table 4.13 Statistically significance of latent variable

Table 4.14 Statistically significance Flood risk Scenario 1

Table 4.15 Statistically significance Flood risk Scenario 2

Table 4.16 Statistically significance Flood risk Scenario 3

Table 4.17 Statistically significance Flood risk Scenario 4

Table 4.18 Some suggestions to support flood management decision-making process and the implication for urban planning



Stefania Santoro

Profilo

Ingegnere dei Sistemi Edilizi, nata a Bari il 26/12/1987

Contatti

stefania.santoro@poliba.it

https://www.researchgate.net/profile/Stefania_Santoro2

Orcid: <https://orcid.org/0000-0001-6277-6056>

Principali esperienze professionali

Assegnista di ricerca

| | |
|----------------------------|--|
| Ente | Istituto di Ricerca sulle Acque - Consiglio Nazionale delle Ricerche (IRSA-CNR); via De Blasio 5, 70132 Bari; 080 582 0511, http://www.irsa.cnr.it |
| (01/09/2018 31/10/2019) | Sviluppo e applicazione di metodi per la riduzione dei rischi legati alle acque Attività relative al progetto di ricerca europeo NAIAD (Nature Insurance value: assessment and demonstration) sul ruolo della natura come strumento di mitigazione del rischio legato alle acque. Responsabile scientifico: Ing. Raffaele Giordano |
| (26/06/2017 25/06/2018) | Sviluppo e applicazione di metodi per la riduzione dei rischi legati alle acque Attività relative al progetto di ricerca europeo EDUCEN (European Disaster in Urban Center) sul ruolo degli aspetti culturali di una società in una situazione di rischio idraulico in ambito urbano. Responsabile scientifico: Ing. Raffaele Giordano |

Attività didattica

| | |
|-----------------|--|
| AA 2020/2021 | Politecnico di Bari, via Orabona 4, 70126, Bari. Dipartimento di Ingegneria Civile, Ambientale, del Territorio, Edile e di Chimica, DICATECh, 080 596 3564 Incarico di sostegno alla didattica per l'insegnamento del corso di Ingegneria del territorio. Corso di laurea magistrale Ingegneria civile LM23. Responsabile scientifico: Domenico Camarda, ordinario Ingegneria del Territorio |
| AA 2020/2021 | Comune di Brindisi, Piazza Matteotti, 1, 72100, 0831 229111 Attività didattica nel ciclo di Seminari_ Sustainability seminars "NBS (Nature-based solutions) per incrementare la resilienza urbana". Responsabile: Livia J. Dell'Anna. Consigliere Comune di Brindisi. |

Analista di processi partecipativi di piano

Novembre 2018
Febbraio 2019

Comune di Brindisi, ripartizione Pianificazione e Gestione del territorio, via Casimiro 36; Brindisi
Organizzazione del processo di partecipazione pubblico finalizzato alla redazione del Piano Urbanistico Generale del Comune di Brindisi;
Redazione documento di sintesi.
Responsabili: Arch. Marina Carrozzo, dirigente ufficio Pianificazione e Gestione del territorio; Ing. Dino Borri, Assessore all'Urbanistica

Editore rivista scientifica

2019 ad oggi

Politecnico di Bari, via Orabona 4, 70126, Bari Dipartimento di Ingegneria Civile, Ambientale, del Territorio, Edile e di Chimica, DICATECh
Rivista di pianificazione territoriale Plurimondi,
<http://plurimondi.poliba.it/index.php/Plurimondi>

Istruzione e formazione

Laurea Magistrale

Politecnico di Bari, via Orabona 4, 70126, Bari, Dipartimento di Ingegneria Civile, Ambientale, del Territorio, Edile e di Chimica, DICATECh
Pianificazione e trasformazione urbana, ingegneria del territorio;
Applicazione di processi di interazione cognitiva strutturata per l'uso ed il governo del territorio mediante approccio ontologico e definizione di mappe cognitive al fine di costruire gli ambiti di rischio a livello urbano e le connessioni tra gli stakeholder. Caso studio: città di Bari
Relatore: Domenico Camarda, ordinario Ingegneria del Territorio

Laurea Triennale

Politecnico di Bari, via Orabona 4, 70126, Bari, Dipartimento di Ingegneria Civile, Ambientale, del Territorio, Edile e di Chimica, DICATECh
Tecnica urbanistica, gestione urbana. Studio del contesto urbano mediante analisi multicriteri: applicazione del Piano Urbano del Traffico.
Caso studio: città di Giovinazzo
Relatore: Carmelo Maria Torre

Tirocinio Formativo

Comune di Bari- Ripartizione Urbanistica ed Edilizia privata-settore pianificazione, via Francesco Saverio Abbrescia 82- 86.
Attività di supporto alla partecipazione di piano nell'ambito della redazione del PUG.
Tutor: Arch. Costanza Sorrenti